

TRIPURA



GAZETTE

सत्यमेव जयते

PUBLISHED BY AUTHORITY

Agartala, Saturday July 25, 1964 A. D.

PART I—Orders & Notifications by the Administrator, Secretaries to the Government and the Judicial Commissioner.

Government of Tripura
Forest Department.

No. F. 18-4/For-64/21244.

Dated, Agartala, the 10th July, 1964.

NOTIFICATION

In exercise of the powers conferred by Section 20 of the Indian Forest Act, 1927 (Act XVI of 1927) read with the Government of India in the late Ministry of States Notification No. 104-J, dated, the 24th August, 1950 as amended the Administrator of Tripura has been pleased to declare the forest land comprising an area of 14 sq. miles situated within Dharmanagar Sub-Division and described by the boundary limits as specified below, a Reserved Forest to be called "Juri Reserved Forest" with effect from 5. 8. 64 :—

Station No./ Sub-Station No.	Forward bearing	Distance in chains to the next station.	Remarks.	Station No./ Sub-Station No.	Forward bearing	Distance in chains to the next station.	Remarks.
	Degree min.				Degree min.		
1	299 0	4.23		10/14	161 0	6.38	
1/1	8 0	2.37	Along Kukinala	, 15	69 0	2.25	
1/2	62 0	4.10		, 16	39 0	4.65	
1/3	22 0	2.36		, 17	36 0	3.12	
1/4	126 0	1.05		, 18	128 0	2.85	
2	113 0	1.79	Leaves Kukinala	, 19	165 0	3.37	
3	111 0	9.07		, 20	213 0	2.76	
4	51 0	8.80		, 21	116 0	2.70	
5	340 0	5.30		, 22	96 0	4.16	
6	93 0	8.00		, 23	135 0	4.90	
7	140 0	7.84		, 24	94 0	2.75	
8	74 0	8.25		, 25	82 0	4.65	
9	38 0	8.28		, 26	147 0	5.47	
10	7 0	3.60	Meets Jurigang	, 27	87 0	5.65	
10/1	85 0	4.50		, 28	130 0	4.51	
, 2	47 0	2.52		, 29	78 0	3.20	
, 3	126 0	3.25		, 30	52 0	5.68	
, 4	33 30	1.70	Along Jurigang	, 31	3 0	5.21	
, 5	7 0	2.70		, 32	82 0	2.12	
, 6	127 0	2.08		, 33	136 0	6.29	
, 7	141 0	2.68		, 34	180 0	1.68	
, 8	71 0	1.76		, 35	155 0	4.54	Along Jurigang
, 9	40 0	4.25		, 36	98 0	7.44	
, 10	121 0	3.94	Along Jurigang	, 37	45 30	2.05	
, 11	230 0	6.00		, 38	63 0	3.52	
, 12	238 0	1.90		, 39	111 0	2.88	
, 13	167 0	5.70		, 40	132 0	2.40	

1	2	3	4
	Degree min.		
10/41	172 0	5.00	
, 42	159 30	2.95	
, 43	88 0	3.70	
, 44	159 30	3.10	
, 45	202 30	5.15	
, 46	156 0	2.80	
, 47	91 0	6.00	
, 48	106 0	4.05	
, 49	85 0	2.30	
, 50	44 0	2.88	
, 51	45 0	2.96	
, 52	118 0	2.22	
, 53	165 30	5.00	
, 54	126 0	5.64	
, 55	106 0	6.64	
, 56	60 0	5.20	
, 57	45 0	3.35	
, 58	8 0	4.78	
, 59	100 0	3.30	
, 60	196 0	3.44	
, 61	229 0	1.38	
, 62	184 0	2.00	Along Jurigang
, 63	130 0	3.00	
, 64	90 0	3.90	
, 65	88 0	1.92	
, 66	169 0	3.44	
, 67	235 0	2.65	
, 68	161 0	1.37	
, 69	121 30	4.95	
, 70	142 0	4.88	
, 71	150 0	4.23	
, 72	213 0	3.15	
, 73	259 0	2.67	
, 74	170 0	5.90	
, 75	172 30	2.36	
, 76	188 0	4.40	
, 77	223 0	5.32	
, 78	230 0	2.18	
, 79	115 0	2.85	
, 80	111 0	7.82	
, 81	132 0	2.60	
, 82	187 0	2.80	
, 83	225 30	2.46	Along Jurigang.
, 84	243 0	1.28	
, 85	328 0	5.68	
, 86	261 0	2.98	
, 87	178 0	2.30	
, 88	200 0	3.74	
, 89	181 0	4.38	
, 90	189 0	2.48	
, 91	66 0	1.17	
, 92	33 0	2.60	
, 93	77 0	1.05	
, 94	140 0	4.27	
, 95	135 0	2.94	
, 96	256 30	2.50	
, 97	263 0	1.34	
, 98	211 0	0.80	
, 99	132 0	1.23	
, 100	124 0	4.81	
, 101	153 0	1.55	
, 102	211 0	3.19	
, 103	247 0	1.46	
, 104	311 0	2.65	
, 105	257 0	1.70	
, 106	219 0	6.10	
, 107	208 0	3.11	
, 108	170 0	1.72	
, 109	123 0	3.78	
, 110	104 0	10.20	
, 111	93 0	2.54	
, 112	15 0	5.38	

1	2	3	4
	Degree min.		
10/113	118 0	1.72	
, 114	139 0	3.80	
, 115	179 0	0.90	
, 116	255 0	4.30	
, 117	214 0	2.55	
, 118	183 0	6.15	
, 119	137 0	5.32	
, 120	157 0	1.25	
, 121	229 0	4.96	
, 122	181 0	1.08	
, 123	140 0	5.28	
, 124	165 30	7.65	
, 125	231 0	6.00	Along Jurigang.
, 126	235 0	4.65	
, 127	295 0	1.36	
, 128	332 30	2.07	
, 129	252 0	1.05	
, 130	156 0	1.95	
, 131	138 0	2.07	
, 132	200 0	0.98	
, 133	250 30	2.90	
, 134	221 0	4.78	
, 135	191 0	3.50	
, 136	102 0	7.90	
, 137	111 0	3.28	
, 138	161 0	3.70	
, 139	59 0	2.08	
, 140	34 0	3.05	
, 141	119 0	2.28	
, 142	153 0	0.90	
, 143	248 0	3.30	
, 144	205 0	2.57	
, 145	127 0	3.24	
, 146	108 30	2.68	
, 147	140 0	1.95	
, 148	235 0	3.90	
, 149	209 0	2.80	Along Jurigang.
, 150	174 0	2.52	
, 151	117 0	4.96	
, 152	105 30	2.12	
, 153	135 0	4.52	
, 154	196 0	1.46	
, 155	244 0	3.67	
, 156	308 0	1.42	
, 157	356 30	4.49	
, 158	305 0	1.05	
, 159	224 0	5.14	
, 160	194 0	2.16	
, 161	110 0	1.75	
, 162	72 0	2.52	
, 163	132 0	3.00	
, 164	156 0	5.30	
, 165	197 0	1.75	
, 166	228 0	1.27	
, 167	267 0	2.70	
, 168	245 0	2.75	
, 169	198 0	5.40	
, 170	131 0	1.40	
, 171	100 0	6.40	
, 172	107 30	2.80	
, 173	65 0	3.10	
, 174	93 0	3.43	
, 175	158 0	1.20	
, 176	217 0	8.20	
, 177	172 30	.73	
, 178	86 0	4.24	
, 179	134 0	1.80	
, 180	220 0	6.21	
, 181	122 0	3.30	
, 182	114 0	1.70	
, 183	165 0	2.80	
, 184	79 0	1.14	
, 185	20 0	2.28	

1	2	3	4	1	2	3	4
	Degree min.				Degree min.		
10/186	341 0	2.87		10/259	230 0	1.38	
, 187	35 30	4.15		, 260	252 0	4.34	
, 188	121 0	.86		, 261	263 0	4.65	
, 189	179 0	2.71		, 262	250 0	2.95	
, 190	147 30	3.82		, 263	239 0	1.05	
, 191	217 0	1.95		, 264	176 30	2.12	
, 192	250 0	3.09		, 265	130 0	2.44	
, 193	243 0	4.21		, 266	57 30	3.56	
, 194	252 0	2.80	Along Jurigang.	, 267	172 0	2.72	
, 195	160 0	1.50		, 268	193 30	3.29	
, 196	106 0	4.18		, 269	163 0	2.70	
, 197	229 0	6.53		, 270	75 0	6.93	Along Jurigang.
, 198	222 0	1.53		, 271	74 30	2.19	
, 199	250 0	3.80		, 272	124 0	1.30	
, 200	260 0	2.59		, 273	208 0	3.80	
, 201	208 0	2.60		, 274	225 30	6.43	
, 202	198 30	2.98		, 275	206 0	1.97	
, 203	165 0	1.52		, 276	113 0	1.44	
, 204	86 0	6.63		, 277	75 30	1.97	
, 205	120 0	2.80		, 278	110 0	1.53	
, 206	216 0	.90		, 279	168 0	5.74	
, 207	257 0	4.34		, 280	149 0	3.47	
, 208	220 0	3.33		, 281	112 30	1.80	
, 209	193 0	4.25	Along Jurigang	, 282	127 0	1.52	
, 210	155 0	4.06		, 283	63 0	4.00	
, 211	60 0	2.72		, 284	81 0	2.84	
, 212	36 0	4.45		, 285	94 0	2.85	
, 213	81 30	2.10		, 286	154 0	3.05	
, 214	126 30	1.95		, 287	247 0	1.61	
, 215	202 0	3.03		, 288	276 0	3.72	
, 216	253 0	3.30		, 289	163 0	3.60	
, 217	186 0	3.28		, 290	101 0	1.15	
, 218	58 30	2.50		, 291	70 0	3.40	
, 219	48 0	6.28		, 292	96 0	3.05	
, 220	124 0	2.97		, 293	168 0	1.05	
, 221	82 0	2.35		, 294	197 0	3.20	
, 222	116 30	3.81		, 295	220 0	1.88	
, 223	244 0	1.77		, 296	267 30	1.83	
, 224	260 0	5.76		, 297	294 0	3.73	
, 225	220 0	2.81		, 298	237 0	1.70	
, 226	173 0	3.80		, 299	210 0	5.53	
, 227	61 0	5.18		, 300	194 0	2.69	
, 228	189 0	5.17		, 301	92 0	4.67	
, 229	204 0	3.61		, 302	158 0	1.11	
, 230	158 0	2.63		, 303	182 0	2.13	
, 231	98 0	3.78		, 304	168 0	4.10	
, 232	180 0	1.30		, 305	139 0	2.32	
, 233	217 0	1.82		, 306	169 0	1.64	
, 234	163 0	2.70		, 307	113 0	4.10	
, 235	184 0	2.65		, 308	142 0	5.92	
, 236	205 0	6.36		, 309	182 0	1.85	
, 237	132 0	3.64		, 310	206 0	2.56	
, 238	186 0	4.53		, 311	187 0	5.89	
, 239	192 0	3.03		, 312	162 0	4.47	
, 240	153 0	7.24		, 313	58 30	2.00	
, 241	85 0	2.84		, 314	138 30	1.10	
, 242	67 0	5.00		, 315	198 0	1.74	
, 243	152 0	7.40		, 316	119 0	1.19	
, 244	245 0	3.21		, 317	42 0	5.05	
, 245	257 0	6.08		, 318	12 0	1.44	
, 246	325 0	2.25		, 319	103 0	0.75	
, 247	286 0	2.14		, 320	109 0	1.71	
, 248	162 0	5.94		, 321	57 30	4.45	
, 249	192 0	3.87		, 322	95 0	3.80	
, 250	178 0	4.44		, 323	125 0	3.25	
, 251	194 0	4.22		, 324	156 0	4.36	
, 252	141 0	1.17		, 325	182 0	6.56	
, 253	109 30	1.42		, 326	210 0	2.74	
, 254	135 0	2.88		, 327	218 0	1.63	
, 255	117 0	3.19		, 328	135 0	1.30	
, 256	54 0	6.95		, 329	85 0	4.53	
, 257	77 0	3.03		, 330	137 0	1.33	
				, 331	191 0	4.20	

1	2	3	4	1	2	3	4
	Degree min				Degree min		
10/333	76 30	2.32		10/406	214 0	1.48	
, 334	107 30	1.26		, 407	188 0	3.24	
, 335	177 0	4.08		, 408	132 0	3.90	
, 336	197 0	3.32	Along Jurigang.	, 409	196 0	.98	
, 337	119 0	3.36		, 410	272 0	1.02	
, 338	96 0	4.58		, 411	189 0	5.05	
, 339	202 0	3.30		, 412	147 0	.90	
, 340	129 0	2.56		, 413	66 30	1.93	
, 341	216 0	1.45		, 414	177 0	4.15	
, 342	236 0	1.75		, 415	148 0	1.72	
, 343	175 0	4.71		, 416	188 0	3.67	
, 344	188 0	2.42		, 417	129 0	2.73	
, 345	270 0	4.44		, 418	199 0	2.31	
, 346	184 0	2.12		, 419	167 0	2.41	
, 347	239 0	1.24		, 420	148 0	1.93	
, 348	181 0	3.25		, 421	202 30	3.22	
, 349	136 0	1.30		, 422	173 0	2.20	
, 350	90 0	3.88		, 423	57 0	1.63	
, 351	139 0	.70		, 424	123 0	.73	
, 352	225 0	2.83		, 425	193 0	.75	
, 353	198 30	.91		, 426	128 0	2.32	
, 354	142 0	2.38		, 427	235 0	.60	
, 355	166 0	7.67		, 428	286 0	1.19	
, 356	72 0	4.18		, 429	194 0	.91	
, 357	79 0	1.27		, 430	115 0	1.54	
, 358	160 0	1.10		, 431	148 0	1.07	
, 359	245 30	2.63		, 432	237 0	.81	
, 360	214 0	3.88		, 433	288 0	1.07	
, 361	168 0	2.94		, 434	209 0	2.05	
, 362	94 0	1.94		, 435	184 0	1.07	
, 363	113 0	3.90		, 436	119 0	1.21	
, 364	95 0	1.35		, 437	44 0	1.58	
, 365	170 0	1.60		, 438	163 0	.65	
, 366	90 0	.85		, 439	203 0	3.23	
, 367	46 0	1.64		, 440	143 0	1.08	
, 368	87 0	3.11		, 441	94 0	1.88	
, 369	98 0	1.63		, 442	181 0	1.67	
, 370	73 0	2.72		, 453	235 0	1.57	
, 371	122 0	4.72		, 444	209 0	1.60	
, 372	165 0	1.73		, 445	130 0	.75	
, 373	217 0	4.85		, 446	73 0	1.03	
, 374	85 0	4.00		, 447	100 0	.98	
, 375	124 0	2.70		, 448	171 0	.86	
, 376	244 0	1.60		, 449	270 0	.94	
, 377	147 0	3.16		, 450	189 0	.74	
, 378	154 0	2.83		, 451	121 0	1.06	
, 379	240 0	2.33		, 452	187 0	.58	
, 380	309 0	.48		, 453	252 0	.57	
, 381	8 30	1.34		, 454	178 0	.58	
, 382	325 0	3.52		, 455	227 0	.85	
, 383	262 0	.93		, 456	228 0	.90	
, 384	192 0	2.90		, 457	175 0	1.13	
, 385	237 0	.86		, 458	137 0	.89	
, 386	328 30	1.63		, 459	51 0	.70	
, 387	258 0	1.45		, 460	117 0	.74	
, 388	188 0	.92		, 461	62 0	.27	
, 389	175 0	2.46		, 462	145 0	.52	
, 390	204 0	1.55		, 463	211 0	1.31	
, 391	293 0	1.49		, 464	228 30	1.57	
, 392	219 0	8.57		, 465	194 30	.78	
, 393	184 0	1.08		, 466	121 0	.84	
, 394	176 0	1.10		, 467	18 0	1.07	
, 395	183 0	1.25		, 468	95 0	3.18	Along Jurigang.
, 396	125 0	2.52		, 469	163 0	.45	
, 397	84 30	2.16		, 470	230 0	.63	
, 398	154 0	1.06		, 471	171 30	1.10	
, 399	258 0	2.02		, 472	273 0	.77	
, 400	219 0	1.20		, 473	285 0	.83	
, 401	128 30	2.70		, 474	191 0	.63	
, 402	226 0	1.70	Along Jurigang.	, 475	154 0	1.30	
, 403	180 0	1.34		, 476	78 30	.75	
, 404	80 0	1.80		, 477	36 0	.98	
, 405	189 0	1.82		, 478	146 0	.96	
				, 479	235 0	1.66	

1	2	3	4	1	2	3	4
	Degree min.				Degree min.		
10/480	144 0	.80		65	5 30	12.32	
, 481	104 0	1.70		66	11 0	6.30	
, 482	98 0	.70		67	343 30	8.60	
, 483	212 0	.95		68	332 0	15.08	
, 484	222 0	.76		69	343 30	5.70	
, 485	149 0	1.10		70	331 0	4.23	
, 486	166 0	1.50		71	317 0	3.48	
, 487	110 0	1.28		72	349 0	5.41	
, 488	118 0	.76		73	327 30	5.24	
, 489	187 0	.84		74	359 0	1.09	
, 490	176 0	1.37		75	324 30	4.20	
, 491	69 0	.74		76	355 0	3.45	
, 492	172 0	.82		77	298 0	1.80	
, 493	138 0	1.03		78	327 0	3.65	
, 494	133 0	1.33		79	14 0	1.77	
, 495	83 0	.76		80	318 0	2.65	
, 496	175 0	.57		81	325 0	4.93	
, 497	212 0	3.03		82	350 0	4.30	
11	248 0	2.04	Leaves Jurigang.	83	312 0	2.74	
12	286 0	4.26		84	308 0	2.50	
13	240 0	3.51		85	2 0	3.30	
14	271 0	2.09		86	31 0	1.54	
15	324 0	2.92		87	315 0	2.35	
16	283 0	3.59		88	336 0	4.40	
17	276 0	3.35		89	351 0	2.90	
18	288 0	2.87		90	336 0	3.90	
19	337 0	2.52		91	331 0	4.80	
20	43 0	2.34		92	340 0	4.22	
21	338 0	1.69		93	15 0	2.18	
22	298 0	2.02		94	321 0	5.06	
23	340 0	3.28		95	277 0	6.71	
24	356 0	.69		96	22 0	2.60	
25	325 0	1.07		97	351 0	3.48	
26	50 0	2.44		98	57 0	3.52	
27	43 0	2.25		99	10 0	1.30	
28	326 0	2.28		100	312 0	1.68	
29	5 0	3.49		101	349 0	2.80	
30	3 0	4.47		102	308 0	2.66	
31	357 0	4.94		103	358 0	2.33	
32	264 0	4.68		104	325 0	2.30	
33	277 0	7.11		105	340 0	2.70	
34	270 0	3.35		106	324 0	5.50	
35	285 0	4.37		107	351 0	2.85	
36	256 0	3.92		108	305 0	1.57	
37	181 0	4.17		109	3 0	2.25	
38	184 0	5.30		110	312 0	3.58	
39	194 0	4.10		111	354 0	3.42	
40	184 0	2.22		112	325 0	4.37	
41	142 0	2.76		113	354 0	1.45	
42	178 0	4.26		114	323 0	4.30	
43	210 0	1.69		115	332 0	4.25	
44	200 0	2.86		116	245 0	2.21	
45	161 0	2.82		117	236 0	4.06	
46	123 0	2.39		118	278 0	1.59	
47	174 0	2.44		119	232 0	6.27	
48	198 0	2.09		120	290 0	1.10	
49	168 0	1.91		121	341 0	3.73	
50	178 0	4.27		122	307 0	2.12	
51	197 0	6.44		123	336 0	3.88	
52	154 0	3.25		124	340 0	4.95	
53	216 0	1.90		125	350 0	4.03	
54	190 0	2.25		126	349 0	2.75	
55	232 0	3.82		127	99 0	4.25	
56	226 0	1.71		128	46 0	1.78	
57	186 0	2.88		129	72 0	3.70	
58	294 0	1.63		130	35 0	1.74	
59	296 0	2.04		131	4 0	1.80	
60	353 0	3.89		132	306 0	1.90	
61	17 0	3.18		133	326 0	1.96	
62	347 0	23.00		134	43 0	4.77	
63	347 30	15.90		135	312 0	3.12	
64	325 30	2.00		136	273 0	1.66	

1	2	3	4
	Degree min.		
138	16 0	3.32	
139	297 0	2.00	
140	6 0	2.07	
141	297 0	1.75	
142	344 0	1.17	
143	351 0	2.14	
144	272 0	3.75	
145	273 0	4.58	
146	262 0	2.50	
147	337 0	3.25	
148	2 0	4.35	
149	356 0	3.22	
150	59 0	3.33	
151	24 0	3.57	
152	289 0	3.00	
153	355 0	2.26	
154	317 0	4.16	
155	320 0	3.51	
156	256 0	6.58	
157	223 0	2.19	
158	227 0	4.97	
159	215 0	3.22	
160	240 0	3.65	
161	275 0	2.43	
162	258 0	3.42	
163	233 0	5.00	
164	272 0	2.41	
165	271 0	4.57	
166	234 0	4.51	
167	231 0	3.68	
168	293 0	4.23	
169	248 0	4.35	
170	232 0	2.63	
171	214 0	2.28	
172	255 0	1.28	
173	301 0	3.40	
174	278 0	1.00	
175	338 0	1.57	
176	15 0	1.72	
177	313 0	1.70	
178	255 0	3.12	
179	204 0	1.45	
1	309 0	3.50	
Station No. 1 of Ujan Machhmara R. F.			
180	353 0	3. 6	
181	22 0	4.00	
182	344 0	2.37	
183	15 0	2.30	
184	349 0	3.38	
185	326 0	3.75	
186	25 0	3.56	
187	335 0	1.56	
188	35 0	3.34	
189	2 0	2.93	
190	319 0	3.70	
191	353 0	2.70	
192	39 0	2.27	
193	332 0	3.19	
194	14 0	3.45	
195	31 0	1.80	
196	335 0	4.30	
197	12 30	2.60	
198	9 0	4.65	
199	334 0	2.09	
200	10 0	1.38	
201	327 0	2.58	
202	238 0	9.22	
203	231 0	6.11	
204	79 0	8.64	
205	319 0	4.18	
206	330 0	3.43	

1	2	3	4
	Degree min.		
207	230 0	4.02	
208	251 0	2.78	
209	312 0	2.88	
210	248 0	3.54	
211	227 0	7.42	
212	211 0	1.60	
213	246 0	2.25	
214	178 0	2.77	
215	205 0	3.52	
216	260 30	1.64	
217	281 0	5.16	
218	215 30	2.54	
219	258 30	1.97	
220	249 0	1.76	
221	279 0	2.00	
222	292 0	1.84	
223	279 30	2.29	
224	258 30	2.47	
225	249 0	1-79	
226	3 30	1.57	
227	16 30	2.55	
228	313 0	3.40	
229	294 30	1.15	
230	337 30	.98	
231	309 30	2.95	
232	263 30	2.63	
233	300 30	5.72	
234	281 30	2.75	
235	205 0	3.88	
236	295 0	3.88	
237	267 0	4.27	
238	12 0	5.82	
239	7 0	2.33	
240	304 0	2.18	
241	287 30	2.24	
242	316 0	2.90	
243	4 30	1.36	
244	39 30	2.55	
245	333 0	1.57	
246	303 0	4.89	
247	1 0	6.09	
248	342 0	6.05	
249	30 30	2.70	
250	350 0	2.30	
251	9 30	4.99	
252	3 0	5.16	
253	10 0	3.96	
254	304 30	1.55	
255	277 30	3.01	
256	251 30	3.99	
257	198 30	2.82	
258	179 30	3.28	
259	257 30	3.22	
260	344 0	2.27	Meets Lampachara.
260/1	308 30	.90	
, 2	338 30	1.08	
, 3	295 30	2.15	
, 4	320 0	.70	Along Lampachara.
, 5	16 0	1.27	
, 6	359 0	1.08	
, 7	305 0	.70	
, 8	355 0	1.00	
, 9	334 0	1.54	
, 10	345 30	1.02	
, 11	7 0	1.70	
, 12	45 0	.95	
, 13	359 0	.70	
, 14	358 0	1-12	
, 15	85 0	1.25	
, 16	1 0	1.26	
, 17	335 0	1.41	
, 18	0 30	1.00	
, 19	10 0	1.14	

1	2	3	4	1	2	3	4
	Degree min.				Degree min		
260/20	319 0	1.50		274/31	324 0	.96	
, 21	345 30	2.50		, 32	306 0	.96	
, 22	310 0	1.07		, 33	315 30	1.58	
, 23	314 30	0.43		, 34	51 0	2.11	
, 24	10 30	1.14		, 35	6 30	.85	
, 25	8 0	0.85		, 36	283 0	1.47	
, 26	217 0	1.50		, 37	336 30	1.28	
, 27	266 0	1.19		, 38	30 0	1.38	
, 28	267 0	1.68		, 39	4 0	.88	
, 29	205 0	1.80		, 40	278 0	1.81	
, 30	218 30	3.29		, 41	216 0	1.41	
, 31	155 30	0.80		, 42	227 0	.69	
, 32	162 0	1.07		, 43	332 0	.80	
, 33	274 30	1.43		, 44	81 30	1.68	
, 34	168 0	1.33		, 45	67 30	1.76	Along Kalagang.
, 35	204 0	.62		, 46	31 0	1.00	
, 36	245 30	1.00		, 47	302 30	1.00	
, 37	238 0	1.06		, 48	259 0	1.49	
, 38	270 0	0.55		, 49	357 0	.82	
, 39	246 0	0.80		, 50	57 0	2.29	
, 40	262 0	1.05		, 51	348 0	.66	
, 41	191 30	0.51		, 52	267 30	2.04	
, 42	214 30	0.68		, 53	330 0	1.20	
, 43	212 0	1.14		, 54	24 0	2.19	
, 44	206 30	1.42		, 55	325 0	1.30	
, 45	214 0	1.21		, 56	76 0	1.00	
, 46	205 30	1.06		, 57	53 0	1.35	
, 47	174 30	0.65		, 58	343 0	1.17	
, 48	265 0	1.30		, 59	83 0	1.29	
261	274 30	1.92	Leaves Lampachara.	, 60	33 0	.71	
262	305 30	4.84		, 61	319 0	.96	
263	250 30	1.56		, 62	355 0	.96	
264	191 0	2.13		, 63	355 0	1.48	
265	276 0	3.10		, 64	40 0	1.10	
266	320 30	2.71		, 65	17 0	1.52	
267	207 0	5.09		, 66	92 30	1.12	
268	197 0	4.14		, 67	352 0	1.17	
269	221 30	1.87		, 68	14 0	1.30	
270	232 0	3.23		, 69	31 30	2.13	
271	184 0	4.00		, 70	337 0	1.81	
272	198 0	2.22		, 71	41 30	1.24	
273	286 0	2.37		, 72	16 30	.86	
274	284 0	1.32	Meets Kalagang.	, 73	331 0	1.61	
1	303 30	2.59		, 74	346 0	2.35	
2	356 30	1.85		, 75	323 30	1.38	
3	7 30	1.30		, 76	68 0	1.25	
4	319 30	0.63		, 77	4 0	.91	
5	323 0	0.90		, 78	301 30	1.75	
6	34 0	0.80		, 79	14 0	1.88	
7	19 30	1.31	Along Kalagang.	, 80	357 30	2.00	
8	348 0	1.02		, 81	343 30	1.47	
9	38 0	.70		, 82	29 0	1.35	
, 10	17 0	1.30		, 83	11 30	1.32	
, 11	63 30	1.45		, 84	31 0	1.09	
, 12	64 0	1.25		, 85	105 0	2.57	
, 13	78 0	1.89		, 86	25 30	4.94	
, 14	43 0	2.79		, 87	293 0	3.33	
, 15	87 0	1.42		, 88	2 30	2.50	
, 16	29 30	.65		, 89	27 30	3.79	
, 17	312 0	1.84		, 90	71 30	1.03	
, 18	51 0	1.69		, 91	60 30	2.02	
, 19	352 0	3.98		, 92	341 0	2.38	
, 20	359 0	0.86		, 93	12 0	1.48	
, 21	320 0	.71		, 94	65 30	4.37	
, 22	339 0	1.00		, 95	329 30	2.07	
, 23	324 0	.77		, 96	6 30	4.22	
, 24	338 30	1.00		, 97	108 0	1.85	
, 25	313 0	1.00		, 98	49 0	.70	
, 26	334 30	.64		, 99	352 30	3.21	
, 27	326 30	1.60		, 100	113 0	3.14	
, 28	322 0	1.93		, 101	7 0	5.26	
, 29	331 0	1.51		, 102	73 30	2.02	
, 30	277 0	1.08		, 103	138 0	2.38	

1	2	3	4	1	2	3	4
	Degree min.				Degree min		
274/105	84 30	2.02	Along Kalagang.	274/177	51 0	1.72	
, 106	320 0	2.45		, 178	80 0	1.16	
, 107	329 30	2.97		, 179	128 0	1.77	
, 108	94 30	1.78		, 180	117 30	1.36	
, 109	121 30	1.92		, 181	19 30	1.29	
, 110	109 0	1.77		, 182	26 30	1.70	
, 111	96 30	4.00		, 183	14 30	1.21	
, 112	85 0	1.47		, 184	235 30	1.21	
, 113	7 30	1.11		, 185	244 30	2.07	
, 114	334 30	2.05		, 186	303 30	1.72	
, 115	13 0	1.18		, 187	342 0	2.58	
, 116	138 0	3.24		, 188	2 30	3.55	
, 117	133 0	1.60		, 189	339 30	1.70	
, 118	33 0	1.70		, 190	289 0	.92	
, 119	313 30	2.10		, 191	208 30	2.88	
, 120	343 30	1.33		, 192	282 30	4.22	
, 121	20 30	3.05		, 193	359 0	2.91	
, 122	112 0	2.92		, 194	292 30	1.95	
, 123	53 0	.66		, 195	13 0	3.02	
, 124	36 30	2.79		, 196	327 0	2.52	
, 125	73 0	2.00		, 197	349 0	1.00	
, 126	76 30	1.24		, 198	90 30	1.80	
, 127	76 30	.90		, 199	48 0	1.00	
, 128	49 30	1.71		, 200	343 0	1.27	
, 129	310 0	1.63		, 201	285 30	2.98	
, 130	27 0	1.15		, 202	323 0	1.20	
, 131	43 30	1.89		, 203	1 0	3.88	
, 132	322 0	1.36		, 204	32 30	3.30	
, 133	243 0	2.51		, 205	323 30	2.12	
, 134	281 0	.74		, 206	271 0	2.71	
, 135	20 30	2.13		, 207	290 30	1.56	
, 136	39 30	1.10		, 208	11 0	1.45	
, 137	39 30	2.76		, 209	57 0	4.24	
, 138	44 0	2.06		, 210	331 0	.94	
, 139	29 30	2.32		, 211	284 0	2.85	
, 140	345 30	2.09		, 212	295 30	2.79	
, 141	61 0	.88		, 213	228 0	2.95	
, 142	144 30	3.72		, 214	291 0	1.40	
, 143	92 30	2.49		, 215	315 30	4.57	
, 144	102 0	1.96		, 216	309 30	3.82	
, 145	3 30	.96		, 217	353 30	1.12	
, 146	332 0	2.28		, 218	26 30	3.33	
, 147	48 30	2.98		, 219	10 30	2.16	
, 148	106 30	.82		, 220	336 0	2.66	Along kalagang.
, 149	139 30	1.47		, 221	266 30	3.59	
, 150	61 30	1.23		, 222	309 0	1.66	
, 151	349 30	1.41		, 223	348 30	1.77	
, 152	285 30	2.62		, 224	48 0	1.83	
, 153	357 0	2.14		, 225	58 30	2.67	
, 154	18 30	1.61		, 226	42 0	2.00	
, 155	74 30	1.10		, 227	1 0	1.21	
, 156	157 30	1.79		, 228	325 30	2.96	
, 157	133 0	1.17		, 229	333 30	1.61	
, 158	97 30	1.70		, 230	91 30	2.63	
, 159	39 30	2.75		, 231	68 30	3.75	
, 160	347 0	1.68		, 232	16 30	2.12	
, 161	264 30	.83		, 233	315 30	4.10	
, 162	254 0	2.65		, 234	341 30	1.26	
, 163	338 30	2.34		, 235	52 0	3.15	
, 164	42 30	.80		, 236	53 0	3.12	
, 165	101 0	2.15		, 237	92 30	1.44	
, 166	62 0	1.07		, 238	76 30	1.80	
, 167	332 0	1.20		, 239	327 0	1.91	
, 168	328 30	1.90		, 240	345 30	1.88	
, 169	363 30	1.84		, 241	334 30	1.85	
, 170	20 30	2.55		, 242	350 0	1.57	
, 171	315 30	.84		, 243	63 0	2.38	
, 172	247 0	4.38		, 244	42 0	3.03	
, 173	353 0	2.00		, 245	9 0	3.57	
, 174	321 0	1.39		, 246	240 0	3.54	
, 175	276 30	1.83		, 247	328 0	1.65	
, 176	283 0	.60		, 248	358 0	2.12	
				, 249	50 30	2.19	

1	2	3	4
	Degree	min.	
274/230	91	30	2.63
, 231	68	30	3.75
, 232	16	30	2.12
, 233	315	30	4.10
, 234	341	30	1.26
, 235	52	0	3.15
, 236	53	0	3.22
, 237	92	30	1.44
, 238	76	30	1.80
, 239	327	0	1.91
, 240	345	30	1.88
, 241	334	30	1.85
, 242	350	0	1.57
, 243	63	0	2.38
, 244	42	0	3.03
, 245	9	0	3.57
, 246	240	0	3.54
, 247	328	0	1.65
, 248	358	0	2.12
, 249	50	30	2.19
, 250	4	30	2.50
, 251	116	30	3.69
, 252	16	30	2.28
, 253	90	0	1.95
, 254	69	30	1.56
, 255	29	0	2.73
, 256	35	0	2.85
, 257	111	0	3.32
, 258	11	0	2.58
, 259	329	30	1.43
, 260	32	30	3.51
, 261	353	0	1.47
, 262	42	30	2.97
, 263	72	0	1.65
, 264	15	30	1.10
, 265	58	0	1.47

Along Kalagang.

Leaves Kalagang
& meets Station
No. 1.

By order of the Administrator,
R. K. DEV VARMA
Secretary,
Government of Tripura.

Government of Tripura
Education Department.

No. F. 4(695)-E/64.

Dated, Agartala, the 21st July, 1964.

NOTIFICATION

Sri Tejendra Mohan Acharyya, Lecturer, Basic Training College, Agartala is, on recommendation of the Union Public Service Commission, appointed as Senior Lecturer in Education, B. T. (Secondary Teachers' Training) College, Agartala in the scale of Rs. 250-20-650-25-750/- plus other allowances as admissible in Tripura in a temporary capacity w. e. f. the forenoon of 6. 7. 1964. The initial pay of Sri Tejendra Mohan Acharyya in the post of Senior Lecturer will be fixed according to rules.

He will remain on probation for a period of 2 (two) years w. e. f. 6. 7. 64.

By order etc.
G. N. CHATTERJEE
Secretary.