

TRIPURA



GAZETTE

सत्यमेव जयते

Published by Authority

EXTRAORDINARY ISSUE

Agartala, Thursday, July 29, 1965 A. D.

PART I—Orders & Notifications by the Chief Commissioner, Secretaries to the Administration and the Judicial Commissioner.

Government of Tripura
FOREST DEPARTMENT.

No. F. 18-4/20/FOR-65/15937.

Dated, Agartala, the 14th June, 1965.

NOTIFICATION

In exercise of the powers conferred by section 20 of the Indian Forest Act, 1927 (Act XVI of 1927) read with the Government of India in the Late Ministry of states Notification No. 104-J, dated, the 24th August, 1950 as amended, the Administrator of Tripura has been pleased to declare the forest land comprising an area of 43.88sq. miles (approximate) situate within Dharmanagar Sub-Division and described by the boundary limits as specified below, a Reserved Forest to be called 'UJANMACHMARA RESERVED FOREST' with effect from 10.8.65.

Within the limits of the boundary as specified below an area of 2.43 sq. miles has been excluded from the R. F. by internal demarcation and an area of 2.52 sq. miles as per details of the C. S. Plots Nos. in the annexure is to be treated as excluded from the Reserved Forest area and the balance of an area of about 43.88 sq. miles constituted as Reserved Forest.

By order of the Administrator,
R. K. DEV VARMA
Secretary,
Forest Department.

Station No./ Sub-Station No.	Forward Bearing Degree min.	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing Degree min.	Distance in chains to the next station	Remarks
1	187 0	1.40		17/ 14	174 30	1.30	
2	218 0	5.33		" 15	232 0	1.50	Along Karaichara.
3	157 30	5.00		" 16	180 0	1.15	
4	182 30	7.10		" 17	214 30	1.20	
5	171 30	3.15		" 18	189 0	0.70	
6	206 0	2.15		" 19	161 30	1.00	
7	168 0	4.52		" 20	127 30	1.75	
8	199 0	7.40		" 21	177 0	2.00	
9	149 0	2.95		" 22	151 30	1.70	
10	213 0	2.70		" 23	153 30	2.20	
11	176 0	5.50		" 24	214 30	1.45	
12	185 30	8.80		" 25	213 0	2.00	
13	187 0	9.00		" 26	161 30	2.00	
14	182 30	5.30		" 27	131 0	1.25	
15	200 0	2.50		" 28	173 30	1.40	
16	223 0	1.90		" 29	217 0	2.50	
17	229 0	1.45	Followed Karai Chara.	" 30	184 0	1.75	
17/1	257 0	3.05		" 31	184 30	1.85	
" 2	201 30	2.00		" 32	54 0	1.10	
" 3	240 30	2.85		" 33	181 30	1.30	
" 4	185 30	2.90		" 34	245 0	1.50	
" 5	160 0	1.65		" 35	213 0	1.85	
" 6	118 30	1.35		" 36	170 0	3.00	
" 7	183 30	2.00		" 37	139 0	.85	
" 8	142 0	1.70		" 38	241 30	1.00	
" 9	143 0	1.80		" 39	229 30	.85	
" 10	191 30	1.50		" 40	228 30	1.10	
" 11	172 0	1.25		" 41	194 30	1.75	
" 12	148 30	1.60		" 42	129 0	2.35	
" 13	121 30	1.20					

Sub-Station No. Bearing to the next station

Sub-Station No. Bearing to the next station

	Degree min.	
17/ 43	115 0	1.00
" 44	200 0	1.10
" 45	247 30	1.05
" 46	228 0	1.40
" 47	170 0	1.25
" 48	184 30	2.00
" 49	108 30	1.10
" 50	182 30	1.25
" 51	226 30	1.20
" 52	9 30	1.00
" 53	320 0	1.00
" 54	184 0	2.20
" 55	183 30	2.50
" 56	204 0	4.00
" 57	188 30	2.25
" 58	288 30	1.10
" 59	306 0	1.75
" 60	233 0	1.60
" 61	279 30	1.00
" 62	258 0	1.10
" 63	164 0	1.55
" 64	186 0	1.65
" 65	212 30	1.25
" 66	297 0	1.55
" 67	213 0	1.50
" 68	193 0	1.50
" 69	204 30	1.70
" 70	153 60	1.40
" 71	203 0	2.05
" 72	324 0	2.50
" 73	272 0	1.20
" 74	189 0	2.40
" 75	223 0	2.25
" 76	153 0	2.70
" 77	229 30	1.95
" 78	217 0	1.45
" 79	250 0	1.45
" 80	314 0	3.10
" 81	246 30	1.50
" 82	180 30	1.55
" 83	191 30	1.35
" 84	243 0	1.70
" 85	279 0	2.15
" 86	290 0	1.90
" 87	265 0	1.00
" 88	234 30	1.15
" 89	177 30	2.30
" 90	206 30	1.90
" 91	175 0	2.70
" 92	234 30	4.90
" 93	227 30	1.30
" 94	157 30	2.90
" 95	232 0	3.65
" 96	188 30	3.05
" 97	219 0	2.35
" 98	243 0	4.40
" 99	228 30	1.90
" 100	165 0	3.25
" 101	210 0	2.40
" 102	203 30	3.60
" 103	285 30	3.70
" 104	214 0	3.10
" 105	303 0	2.85
" 106	267 30	2.00
" 107	230 0	2.30
" 108	197 0	1.75
" 109	301 0	2.00
" 110	194 30	3.35
" 111	289 0	1.00
" 112	318 0	4.15
" 113	235 0	2.55
" 114	209 0	5.10
" 115	183 30	2.40
" 116	222 30	3.00
" 117	265 30	5.40
" 118	228 0	1.00
" 119	160 0	4.60
" 120	236 30	5.00
" 121	208 30	1.50
" 122	181 0	4.00
" 123	165 0	3.60
" 124	276 0	3.35
" 125	268 0	4.10
" 126	241 30	3.60
" 127	281 0	1.50
" 128	259 0	2.00
" 129	209 30	5.70
" 130	238 0	3.75
" 131	227 0	2.55
" 132	263 30	2.40
" 133	283 30	3.70
" 134	299 0	3.65
" 135	216 0	2.50
" 136	180 0	2.65
" 137	164 0	4.75
" 138	219 30	5.10
" 139	245 30	2.60
" 140	312 0	2.75

Along Karaichara.

Along Karaichara.

Along Karaichari.

	Degree min.	
17/141	220 0	2.20
" 142	231 0	2.30
" 143	225 30	3.75
" 144	268 0	1.25
" 145	262 30	3.00
" 146	238 30	1.45
" 147	298 0	2.65
" 148	279 0	5.25
" 149	245 0	1.45
" 150	135 0	2.00
" 151	215 0	1.85
" 152	308 30	2.15
" 153	333 0	5.05
" 154	311 0	1.75
" 155	185 0	3.90
" 156	74 30	1.55
" 157	213 30	1.50
" 158	277 30	4.35
" 159	348 0	3.40
" 160	4 0	4.45
" 161	348 0	2.00
" 162	300 30	.90
" 163	198 0	4.75
" 164	201 0	5.65
" 165	145 0	1.85
" 166	236 0	4.15
" 167	275 0	3.10
" 168	306 0	5.60
" 169	303 0	2.00
" 170	284 0	2.45
" 171	176 0	3.55
" 172	140 0	2.90
" 173	110 0	2.00
" 174	170 0	1.70
" 175	237 30	1.45
" 176	233 0	4.00
" 177	276 30	2.35
" 178	270 0	5.75
" 179	288 30	4.15
" 180	186 0	3.10
" 181	283 0	4.20
" 182	198 30	1.35
" 183	134 0	2.90
" 184	162 30	2.00
" 185	276 0	2.70
" 186	268 0	2.20
" 187	278 30	1.85
" 188	221 0	2.43
" 189	182 0	2.35
" 190	221 30	7.65
" 191	200 30	3.00
" 192	245 0	1.60
" 193	281 30	3.25
" 194	225 30	4.20
" 195	245 0	2.80
" 196	241 0	4.90
" 197	228 30	2.80
" 198	288 30	1.93
" 199	136 0	2.26
" 200	188 30	1.48
18	93 0	2.50
" 1	171 30	3.90
" 2	228 30	19.55
" 3	244 30	3.45
" 4	215 30	24.20
" 5	216 30	11.00
" 6	287 30	11.45
" 7	306 30	15.35
" 8	220 30	11.60
" 9	122 30	10.40
" 10	157 0	8.20
" 11	54 30	8.00
" 12	108 30	11.90
" 13	110 0	20.40
" 14	9 30	12.50
" 15	93 0	14.00
" 16	108 0	8.85
" 17	124 0	14.50
" 18	159 0	17.00
" 19	144 30	20.40
" 20	110 30	2.70
" 21	100 30	4.65
19/	234 0	1.70
" 1	192 0	2.85
" 2	141 0	2.90
" 3	114 30	4.30
" 4	128 30	1.00
" 5	176 0	3.20
" 6	133 0	1.60
" 7	73 30	2.00
" 8	18 30	4.00
" 9	70 0	1.00
" 10	174 30	2.30
" 11	143 0	2.60
" 12	174 0	2.20
" 13	160 30	2.80
" 14	156 30	2.60
" 15	127 30	0.90
" 16	200 0	2.25

Along Karaichara.

Along Karaichara,

Leaves Karaichara
and follows Deo
river.

Along Deo River.

Leaves Deo River and
follows Dhepachara.

Along Dhepachara.

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks
	Degree min.				Degree min.		
19/17	134 0	1.90	Along Dhepachara.	19/115	240 0	1.00	
" 18	47 30	2.85		" 116	229 30	1.20	
" 19	93 30	2.10		" 117	194 0	1.00	
" 20	148 0	1.20		" 118	190 0	1.75	
" 21	212 0	1.45		20	219 30	1.45	Leaves Dhepa Chara.
" 22	158 0	2.20		21	219 30	28.15	
" 23	126 30	2.00		22	135 0	2.10	
" 24	100 0	1.45		23	154 0	2.30	
" 25	80 30	2.70		24	236 30	2.35	
" 26	225 0	1.50		25	253 30	1.70	
" 27	240 30	2.66		26	233 30	3.90	
" 28	155 30	1.25		27	184 0	3.70	
" 29	170 30	3.45		28	197 0	1.50	
" 30	183 0	1.25		29	166 30	4.55	
" 31	252 0	3.65		30	191 30	3.33	
" 32	132 30	3.30		31	231 0	5.40	
" 33	64 30	2.35		32	259 30	3.33	
" 34	153 30	2.15		33	243 0	6.15	
" 35	153 30	3.55		34	215 30	3.42	
" 36	232 30	1.45		35	185 0	5.50	
" 37	279 0	1.35		36	173 0	3.14	
" 38	248 0	2.75		37	208 0	3.50	
" 39	258 30	3.90		38	273 0	3.47	
" 40	198 0	2.05		39	201 30	5.25	
" 41	155 0	3.05		40	171 30	2.40	
" 42	242 0	2.20		41	145 0	2.20	
" 43	270 30	3.15		42	163 0	1.40	
" 44	271 30	2.40		43	186 30	2.90	
" 45	228 0	1.10		44	265 0	2.35	
" 46	199 0	2.40		45	225 0	6.95	
" 47	234 30	1.75		46	220 30	4.00	
" 48	222 0	1.70	Along Dhepa Charra	47	152 0	3.15	
" 49	253 0	1.00		48	136 0	1.15	
" 50	170 0	1.45		49	117 30	3.00	
" 51	121 0	2.85		50	142 30	1.85	
" 52	193 0	1.75		51	231 0	2.90	
" 53	212 0	2.30		52	268 0	2.75	
" 54	197 0	2.35		53	221 30	3.73	
" 55	217 30	1.60		54	206 30	2.93	
" 56	232 30	1.40		55	274 0	3.55	
" 57	180 0	3.25		56	289 30	3.45	
" 58	217 30	2.55		57	232 0	3.45	
" 59	158 0	3.00		58	213 30	2.00	
" 60	263 30	1.55		59	282 0	2.25	
" 61	220 0	2.90		60	303 0	3.50	
" 62	190 0	2.15		61	241 30	4.45	
" 63	177 0	1.20		62	231 30	1.60	
" 64	201 30	4.70		63	264 30	4.00	
" 65	185 0	4.15		64	160 30	3.40	
" 66	133 0	1.90		65	183 0	3.30	
" 67	159 30	2.90		66	228 0	1.80	
" 68	86 30	2.50		67	252 0	9.90	
" 69	42 0	2.60		68	223 0	3.80	
" 70	136 0	1.75		69	175 0	2.20	
" 71	153 0	0.90		70	182 30	4.40	
" 72	145 0	1.00		71	180 30	2.70	
" 73	92 30	2.00		72	206 30	5.30	
" 74	68 30	1.00		73	225 30	3.07	
" 75	169 30	1.50		74	165 0	3.66	
" 76	129 0	1.50		75	208 0	6.03	
" 77	198 30	1.50		76	263 0	3.07	
" 78	142 30	2.90		77	204 0	5.10	
" 79	164 30	1.30		78	199 0	1.80	
" 80	242 30	1.35		79	198 0	1.31	
" 81	296 30	1.05		80	189 0	1.79	
" 82	212 30	2.50		81	170 0	3.57	
" 83	127 0	2.00		82	213 0	4.18	
" 84	94 0	2.20		83	235 0	8.34	
" 85	179 0	1.40		84	180 30	5.40	
" 86	224 30	3.65	Along Dhepa Charra.	85	186 30	2.84	Meets Kanchanchara.
" 87	176 0	1.45		86	270 0	1.00	Meets Kanchan chara.
" 88	133 0	1.20		86/ 1	277 30	1.20	
" 89	233 30	2.50		" 2	282 30	1.35	
" 90	171 30	3.60		" 3	232 30	2.53	
" 91	107 30	1.25		" 4	220 0	1.70	
" 92	202 0	1.20		" 5	225 30	1.48	
" 93	151 0	2.20		" 6	234 0	1.00	
" 94	147 0	1.45		" 7	225 0	.56	
" 95	86 0	1.20		" 8	235 30	.90	
" 96	150 0	2.25		" 9	292 30	.60	
" 97	248 30	1.40		" 10	247 0	.90	
" 98	163 0	1.55		" 11	269 0	.64	
" 99	141 30	2.00		" 12	292 0	.74	
" 100	152 0	1.40		" 13	282 0	1.40	Along Kanchanchara.
" 101	121 30	1.35		" 14	290 0	.95	
" 102	163 0	2.40		" 15	230 30	1.60	
" 103	126 0	1.10		" 16	276 0	1.50	
" 104	164 0	1.10		" 17	188 30	1.30	
" 105	192 0	1.35		" 18	197 0	1.55	
" 106	169 0	1.30		" 19	197 0	1.20	
" 107	185 30	1.10		" 20	219 0	.72	
" 108	182 0	.90	Along Dhepachara.	" 21	160 0	1.45	
" 109	174 30	1.00		" 22	165 0	1.50	
" 110	225 0	1.20		" 23	192 0	1.00	
" 111	213 0	1.45		" 24	173 30	2.25	
" 112	222 30	1.05		" 25	142 30	.77	
" 113	224 0	1.25		" 26	159 0	1.37	
" 114	236 0	1.00		" 27	151 0	1.20	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station.	Remarks.
Degree min.				Degree min.			
86/28	156 0	.80		86/127	68 30	2.27	
" 29	136 30	.90		" 128	24 0	1.70	
" 30	204 0	.70		" 129	299 30	1.70	
" 31	219 30	.95		" 130	258 30	2.12	
" 32	192 30	1.37		" 131	320 0	1.65	
" 33	177 0	.77		" 132	252 0	3.03	
" 34	176 30	.97		" 133	133 30	3.05	
" 35	133 0	1.00		" 134	108 0	2.20	
" 36	183 30	.65		" 135	140 30	4.20	
" 37	254 30	1.00		" 136	139 0	1.56	
" 38	268 0	.35		" 137	41 0	2.80	
" 39	232 0	.65		" 138	32 30	2.50	
" 40	196 0	.65		" 139	111 0	2.60	
" 41	236 0	1.60		" 140	85 0	1.80	
" 42	227 0	1.40		" 141	101 30	2.55	
" 43	177 0	2.80		" 142	42 0	2.10	
" 44	205 0	1.12		" 143	23 0	2.72	
" 45	218 0	2.57		" 144	42 0	5.75	
" 46	177 0	3.47		" 145	138 0	.92	
" 47	140 0	1.62		" 146	190 0	3.50	
" 48	176 0	1.00		" 147	170 0	2.67	
" 49	118 0	1.10		" 148	167 0	2.65	
" 50	48 0	.90		" 149	190 30	1.85	
" 51	122 0	.54		" 150	201 30	3.38	
" 52	169 0	1.87		" 151	144 0	2.88	
" 53	150 0	1.82		" 152	125 30	3.25	
" 54	187 0	3.00		" 153	359 0	1.00	
" 55	227 0	2.37		" 154	328 30	3.30	
" 56	171 0	.46		" 155	10 0	4.30	
" 57	105 0	.66		" 156	46 0	2.87	
" 58	83 0	1.92		" 157	58 0	3.15	
" 59	139 0	.75		" 158	346 30	3.27	
" 60	202 0	2.50		" 159	13 0	3.90	
" 61	221 0	2.55		" 160	299 0	4.15	
" 62	180 0	2.65		" 161	337 30	2.15	
" 63	213 0	4.82		" 162	9 30	4.10	
" 64	170 0	1.42		" 163	81 30	3.00	
" 65	134 0	1.00		" 164	104 30	2.85	
" 66	119 30	2.18		" 165	125 30	.62	
" 67	156 0	1.00		" 166	50 0	.90	
" 68	211 0	2.13		" 167	353 0	3.42	
" 69	178 30	1.78		" 168	68 30	1.50	
" 70	157 0	3.40		" 169	108 30	4.65	
" 71	95 0	2.55		" 170	87 30	4.33	
" 72	149 0	2.33		" 171	11 30	1.77	
" 73	115 0	5.45		" 172	306 0	3.50	
" 74	99 0	4.30		" 173	301 30	1.72	
" 75	75 3	3.10	Along Kanchanchera.	" 174	9 0	5.20	
" 76	101 30	4.00		" 175	347 0	4.05	
" 77	167 0	1.60		" 176	15 30	1.62	
" 78	200 0	4.17		" 177	108 30	1.50	
" 79	209 0	1.35		" 178	125 30	2.50	
" 80	212 30	2.60		" 179	93 0	3.67	
" 81	163 30	2.20		" 180	47 30	1.37	
" 82	108 30	4.10		" 181	357 0	3.00	
" 83	179 0	4.10		" 182	352 30	3.40	
" 84	106 0	4.95		" 183	30 0	2.00	
" 85	134 0	2.55		" 184	152 30	5.00	
" 86	160 30	2.25		" 185	148 0	1.90	
" 87	195 0	2.00		" 186	174 0	1.75	
" 88	125 0	3.40		" 187	181 30	2.40	
" 89	124 0	5.45		" 188	147 0	3.27	
" 90	144 0	.45		" 189	132 30	4.90	
" 91	114 30	4.00		" 190	152 0	5.00	
" 92	124 0	2.25		" 191	77 0	.95	
" 93	66 0	1.53		" 192	22 0	3.35	
" 94	163 0	1.53		" 193	25 30	3.05	
" 95	196 0	1.83		" 194	356 0	1.80	
" 96	161 0	3.07		" 195	254 0	3.50	
" 97	138 0	2.62		" 196	264 30	1.50	
" 98	198 0	1.35		" 197	346 30	4.05	
" 99	222 0	2.54		" 198	61 30	5.90	Along Kanachanchara,
" 100	107 30	3.07		" 199	90 0	2.75	
" 101	119 0	3.80		" 200	145 0	2.43	
" 102	34 0	3.60		" 201	161 0	3.80	
" 103	95 0	5.25		" 202	138 30	1.43	
" 104	91 30	2.05		" 203	54 0	1.80	
" 105	85 30	1.50		" 204	356 30	2.60	
" 106	117 0	1.60		" 205	19 0	4.37	
" 107	67 0	4.30		" 206	22 0	3.45	
" 108	72 0	1.93		" 207	128 30	3.95	
" 109	97 0	4.05		" 208	37 0	2.75	
" 110	168 0	8.10		" 209	24 30	4.45	
" 111	138 0	4.75		" 210	77 30	2.65	
" 112	32 30	2.03		" 211	156 30	4.80	
" 113	349 0	3.50		" 212	136 0	7.60	
" 114	21 0	2.10		" 213	139 30	7.05	
" 115	93 0	2.70		" 214	71 0	1.20	
" 116	117 30	.60		" 215	3 0	2.68	
" 117	65 0	1.86		" 216	352 0	2.75	
" 118	6 0	2.30		" 217	100 30	4.40	
" 119	68 0	2.20		" 218	91 0	3.75	
" 120	115 30	2.93		" 219	105 30	2.80	
" 121	123 0	2.47		" 220	57 30	2.25	
" 122	64 0	3.10		" 221	354 0	1.87	
" 123	108 30	1.55		" 222	312 30	1.90	
" 124	131 0	5.95		" 223	65 0	2.30	
" 125	152 30	5.45	Along Kanchanchera.	" 224	102 30	3.90	
" 126	114 30	2.50		" 225	106 30	2.25	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks
	Degree min.				Degree min.		
86/226	75 0	2.45		151	2 0	5.05	
" 227	338 30	4.73		152	59 30	3.12	
" 228	34 0	3.45		153	1 30	2.85	
" 229	90 30	3.10		154	7 0	13.21	
" 230	140 30	4.50		155	19 0	4.20	
" 231	84 0	6.45		156	20 30	5.35	
" 232	68 0	6.97		157	92 30	2.35	
" 233	100 0	1.95		158	35 0	4.09	
" 234	123 0	1.45		159	55 30	4.70	
" 235	78 30	1.47		160	350 0	5 75	
" 236	11 30	7.50	Along Kanchanchara.	161	19 0	1 07	
" 237	65 30	3.15		162	78 30	2.30	Meets Deo River.
" 238	122 30	1.80		162/1	47 0	1.10	
" 239	161 0	1.67		162/2	178 0	2.65	
" 240	69 0	.72		" 3	16 30	4.00	
87	56 30	1.55	Leaves Kanchanchara.	" 4	22 0	5.20	
88	80 0	4.59		" 5	48 30	5.55	
89	37 0	8.73		" 6	62 30	2.10	
90	354 0	6.65		" 7	81 30	2.50	
91	11 0	12.38		" 8	86 0	6.00	
92	43 30	4.78		" 9	29 0	7.55	
93	354 30	6.85		" 10	64 0	2.20	
94	340 30	7.47		" 11	104 30	2.50	
95	355 0	8.82		" 12	164 0	1.20	
96	358 30	4.20		" 13	180 30	4.20	
97	48 30	11.00	Meets Deo River.	" 14	234 0	2.35	
97/ 1	343 30	6.50		" 15	232 0	6.80	
" 2	25 0	11.50		" 16	213 0	8.10	
" 3	31 0	3.50		" 17	159 0	2.50	Along Deo River.
" 4	88 0	3.75		" 18	81 30	9.40	
" 5	114 30	15.60		" 19	163 0	4.80	
" 6	60 0	5.35		" 20	160 0	9.00	
" 7	327 30	6.80		" 21	131 30	3.60	
" 8	352 0	5.45		" 22	51 0	5.20	
" 9	336 0	10.25		" 23	145 30	6.30	
" 10	266 0	7.80		" 24	149 30	7.85	
" 11	31 0	3.70		" 25	171 0	16.85	
" 12	44 0	7.75	Along Deo River.	" 26	119 30	4.10	
" 13	66 0	8.30		163	115 0	2.55	Leaves Deo River.
" 14	340 0	3.75		164	50 30	1.60	
" 15	293 30	10.15		165	75 0	2.15	
" 16	280 30	3.00		166	137 0	5.95	
" 17	233 30	5.40		167	120 30	3.22	
" 18	285 30	13.35		168	138 0	2.82	
" 19	351 0	7.00		169	171 0	5.30	
" 20	250 0	2.70		170	153 0	2.40	
98	256 30	6.28	Leaves Deo River.	171	213 0	5.50	
99	277 30	12.63		172	172 0	3.90	
100	265 0	5.53		173	213 30	2.60	
101	278 0	1.70		174	138 0	2.90	
102	240 30	4.50		175	115 30	1.65	
103	211 0	1.95		176	162 30	3.65	
104	266 0	10.00		177	206 30	2.75	
105	279 0	5.40		178	102 30	3.28	
106	17 30	4.80		179	167 30	5.30	
107	47 0	4.85		180	124 30	3.70	
108	5 30	12.39		181	200 0	2.66	
109	22 30	3.70		182	243 30	4.03	
110	316 0	6.60		183	162 0	3.80	
111	26 30	6.62		184	202 30	1.98	
112	32 30	13.19		185	149 0	5.12	
113	11 30	2.05		186	167 0	3.55	
114	31 30	3.50		187	200 30	3.75	
115	40 0	5.97		188	227 30	2.15	
116	11 30	5.48		189	205 30	3.65	
117	17 30	10.30		190	231 30	4.88	
118	358 0	3.95		191	154 0	6.47	
119	319 30	4.94		192	157 0	11.48	
120	317 30	7.69		193	155 0	6.72	
121	300 0	5.85		194	222 30	6.60	
122	2 0	3.05		195	194 0	4.85	
123	322 30	4.10		196	165 0	13.71	
124	323 30	3.75		197	144 0	10.43	
125	352 30	4.20		198	330 0	3.12	
126	291 0	4.25		199	124 0	7.19	
127	280 30	4.95		200	161 30	3.68	
128	316 0	4.90		201	201 0	4.61	
129	300 30	10.35		202	186 30	3.66	
130	306 0	11.18		203	178 0	4.95	
131	291 0	2.20		204	198 0	6.65	
132	14 30	6.73		205	201 30	5.50	
133	21 33	9.81		206	173 30	3.31	
134	15 0	7.84		207	175 0	9.36	
135	70 0	11.13		208	145 0	8.80	
136	24 0	2.50		209	182 30	6.93	
137	352 0	4.10		210	158 30	2.20	
138	10 30	6.41		211	117 30	4.82	
139	69 30	2.15		212	163 0	4.53	
140	95 30	4.35		213	118 0	7.84	
141	58 30	5.45		214	35 0	5.31	
142	87 0	1.95		215	155 30	7.18	
143	27 0	3.90		216	167 30	10.33	
144	9 30	7.81		217	199 0	3.79	
145	34 0	3.40		218	209 30	5.58	
146	4 30	2.70		219	140 0	7.74	
147	14 0	3.30		220	121 0	6.70	
148	66 0	2.13		221	137 0	6.18	
149	16 30	2.60		222	119 0	4.15	
150	350 30	3.62		223	194 0	4.97	

Station No./ Sub-station No.	Forward Bearing Degree min.	Distance in chains to the next station	Remarks	Station No./ Sub-Station No.	Forward Bearing Degree min.	Distance in chains to the next station	Remarks.
224	186 30	6.13		274/ 8	83 0	1.27	
225	145 30	7.05		275	174 30	1.15	
226	133 0	5.06		" 1	161 30	3.50	
227	175 0	7.25		" 2	105 0	2.80	
228	237 0	4.40		" 3	96 30	4.20	
229	183 0	4.07		" 4	66 30	2.70	
230	217 30	5.25		" 5	3 30	2.00	
231	228 30	6.89		" 6	335 0	1.50	
232	243 0	8.35		" 7	301 0	4.20	
233	217 30	5.90		" 8	328 30	5.90	
234	200 0	4.44		276	64 30	3.85	
235	106 0	3.00		" 1	45 0	3.45	
236	106 30	3.44		" 2	69 0	2.25	
237	127 30	8.44		" 3	44 30	4.65	
238	110 30	6.42		" 4	48 30	2.00	
239	152 30	1.13		" 5	111 0	1.60	
240	202 0	4.06		" 6	150 30	3.10	
241	140 0	4.90		" 7	157 30	2.40	
242	187 0	5.60		" 8	105 0	2.00	
243	249 0	3.20		" 9	4 30	1.70	
244	175 0	3.81		" 10	353 0	2.35	
245	108 0	3.80		" 11	37 30	2.40	
246	152 30	7.35		" 12	48 30	4.55	
247	213 30	2.23		" 13	111 30	3.15	
248	181 30	2.41		" 14	224 30	4.00	
249	106 0	2.04		277/ 1	112 0	2.75	
250	171 30	4.32		" 2	49 30	2.60	
251	121 0	3.68		" 3	120 0	3.93	
252	174 0	6.91		" 4	168 30	3.60	
253	163 30	2.06		" 5	186 0	1.62	
254	204 30	3.00		" 6	143 0	1.90	
255	234 30	2.17		" 7	65 30	2.80	
256	158 0	4.00		" 8	35 0	1.65	
257	238 0	3.03		" 9	96 0	1.43	
258	198 0	5.87		278	147 30	2.70	
259	140 30	4.02		" 1	129 0	7.00	
260	191 0	6.00		" 2	83 0	3.50	
261	169 0	4.47		" 3	56 0	7.10	
262	145 30	2.87	Followed Urichara.	" 4	62 30	4.00	
262/1	176 0	1.88		" 5	30 30	1.55	
" 2	198 0	1.57		" 6	115 0	4.50	
" 3	154 30	1.66		" 7	34 0	2.40	
" 4	129 0	.75		" 8	76 0	3.00	
" 5	160 0	1.00		297	211 30	4.20	
" 6	138 30	1.00		" 1	65 0	3.35	
" 7	178 30	1.40	Along Urichara.	" 2	105 0	3.50	
" 8	208 30	1.75		" 3	163 30	1.80	
" 9	187 0	1.42		" 4	244 30	4.90	
263	193 30	.88	Left Urichara.	" 5	79 0	4.85	
264	195 0	3.15		" 6	236 0	4.32	
265	171 30	4.55		" 7	195 30	4.10	
266	185 0	5.73		" 8	129 0	4.60	
267	195 30	4.10		" 9	108 30	5.70	
268	264 30	3.13		" 10	154 0	2.65	
269	217 30	4.50		280	110 0	3.35	
270	126 0	2.15		" 1	54 30	4.85	
271	141 30	6.41		" 2	87 30	5.35	
272	124 30	.61	Followed Suknachara.	" 3	70 0	3.20	Along Suknachara.
272/ 1	46 0	1.70		281	54 30	2.15	
" 2	118 30	.80		" 1	67 0	1.90	
" 3	178 30	2.90		" 2	19 0	1.27	
" 4	195 0	3.32		" 3	3 30	2.10	
" 5	164 30	3.55		" 4	97 0	2.00	
" 6	174 0	3.87		" 5	6 0	3.30	
" 7	185 0	1.65		" 6	36 30	1.45	
" 8	42 0	3.56		" 7	67 0	3.20	
" 9	24 0	3.73		" 8	125 0	1.50	
" 10	89 30	2.20		" 9	127 30	1.20	
" 11	174 30	5.00		" 10	62 0	1.85	
" 12	74 0	5.15		" 11	335 0	2.30	
" 13	182 0	4.85		" 12	310 0	1.87	
" 14	177 0	7.25		" 13	360 0	1.80	
" 15	107 0	5.95		" 14	62 0	1.60	
" 16	170 30	2.90		" 15	109 0	1.70	
" 17	171 30	3.15		" 16	117 30	2.20	
" 18	108 30	1.75	Along Suknachara.	" 17	57 0	3.00	
" 19	58 0	2.90		" 18	346 0	2.80	
" 20	11 0	1.30		" 19	321 0	.95	
" 21	344 0	1.35		" 20	72 30	3.20	
" 22	38 30	6.20		" 21	314 0	1.80	
" 23	19 30	5.10		" 22	278 0	2.15	
" 24	102 0	1.65		" 23	312 30	4.50	
273	174 0	6.50		" 24	9 30	1.05	
" 1	103 30	1.04		282	74 30	1.00	
" 2	50 30	2.40		" 1	50 30	1.55	
" 3	62 30	3.70		" 2	3 0	.74	
" 4	153 0	3.75		" 3	57 30	1.37	
" 5	112 0	4.45		" 4	36 0	.80	
" 6	37 0	4.53		" 5	19 0	.83	
" 7	176 0	1.30		" 6	32 30	.60	
" 8	200 0	6.60		" 7	351 0	1.00	
274	193 30	2.20		" 8	21 0	1.52	
" 1	86 30	4.85		" 9	31 30	.72	
" 2	128 0	4.80		" 10	322 0	1.50	
" 3	75 0	3.67		" 11	9 30	1.67	
" 4	70 0	1.80		" 12	334 30	1.73	
" 5	39 30	4.25		" 13	335 0	1.23	
" 6	7 30	5.80		" 14	1 30	.85	
" 7	53 0	1.20		" 15	329 30	1.00	

Station No./ Sub-Station No.	Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Bearing	Distance in chains to the next station.	Remarks.
Degree min.				Degree min.			
282/ 16	16 0	1.00		293/2	302 30	2:80	
" 17	10 0	1.57		" 3	274 30	2:48	
" 18	28 0	1.00		" 4	357 0	1:23	
" 19	354 0	1.00	Along Suknachara.	" 5	66 30	5:25	
" 20	20 0	1.70		" 6	329 30	1:90	
" 21	343 30	1.90		" 7	275 0	3:10	
" 22	18 30	1.60		" 8	24 0	1:05	
" 23	325 0	1.50		" 9	95 0	4:00	
" 24	359 80	2.06		" 10	353 0	2.20	
" 25	36 30	1.70		" 11	308 0	1:95	
" 26	6 30	.85		" 12	289 0	2:65	
283	344 00	1.92	Left Sukhnachara.	" 13	61 0	2:40	
284	332 30	2.65		294	70 0	1:90	
285	328 0	1.94		" 1	20 0	1:70	
286	352 0	1.65	Followed Dupatachara.	" 2	3 0	6:60	
" 1	33 0	.88		" 3	8 0	1:50	
" 2	353 0	.80		" 4	342 0	2:00	
" 3	47 0	.50		" 5	45 0	1:80	
" 4	325 0	.67		" 6	348 0	2:30	
" 5	51 30	.90		" 7	100 0	3:30	
" 6	355 0	1.00		" 8	328 30	1:85	
" 7	12 30	1.20		" 9	294 0	3:75	
" 8	314 39	1.40		" 10	330 30	2:30	
" 9	44 30	1.00		" 11	2 0	4:00	
" 10	252 00	2.05		" 12	25 0	3:00	
" 11	14 0	1.23		" 13	281 0	5:63	
" 12	321 0	1.38		" 14	327 0	2:55	
" 13	294 0	1.00		" 15	59 0	2:65	Along Dupatachara.
" 14	348 0	2.30		295	113 30	2:13	
" 15	61 30	2.00		" 1	63 0	2:40	
" 16	252 30	2.00		" 2	288 30	5:67	
" 17	47 30	1.00		" 3	352 30	1:90	
287	358 0	1.55		" 4	69 30	1:95	
" 1	328 0	1.00		" 5	99 0	2:70	
" 2	353 0	1.50		" 6	26 30	1:65	
" 3	296 0	1.00		" 7	281 30	4:63	
" 4	336 0	1.10		" 8	334 0	1:23	
" 5	302 39	1.70		" 9	67 30	3:30	
" 6	21 30	1.00		296	88 0	1:95	
" 7	79 0	1.40		" 1	65 0	3.50	
" 8	340 30	1.00		" 2	26 0	1.47	
" 9	285 30	.87		" 3	269 0	6.55	
288	288 30	1.24		" 4	334 0	2.12	
" 1	10 30	1.53		" 5	23 30	2.65	
" 2	12 0	1.50		" 6	40 30	1.88	
" 3	269 0	2.05	Along Dupatachara.	" 7	323 30	1.05	
" 4	320 0	2.80		" 8	307 30	1.32	
" 5	350 30	1.75		" 9	3 30	2.17	
" 6	35 30	1.25		" 10	316 30	2.50	
" 7	335 0	1.50		" 11	345 30	4.42	
" 8	358 0	1.88		" 12	4 30	1.87	
" 9	291 30	1.65		297	6 0	2.40	
" 10	6 30	1.70		" 1	319 0	2.70	
289	64 30	6.14		" 2	333 0	2.30	
" 1	314 30	2.30		298	307 0	3.40	
" 2	280 30	2.77		" 1	315 0	4.15	
" 3	189 0	2.95		" 2	323 0	3.65	
" 4	310 0	2.30		" 3	265 30	7.15	
" 5	274 0	3.70		" 4	231 0	3.60	
" 6	2 30	1.80		" 5	292 30	2.42	
" 7	20 30	2.10		299	335 0	3:42	
" 8	283 30	1.55		" 1	216 0	6.25	
290	257 0	3.67		" 2	322 0	5.60	
" 1	248 0	3.10		" 3	63 0	5.40	
" 2	355 0	2.46		" 4	41 0	3.22	
" 3	54 0	2.90		" 5	292 0	3:95	
" 4	359 30	2.37		" 6	231 0	2:72	
" 5	77 30	1.20		" 7	319 30	4:00	
291	80 0	1.52		" 8	42 0	4:55	
" 1	348 30	2.00		" 9	337 0	2:00	
" 2	287 0	1.90		" 10	291 30	4:20	
" 3	300 0	2:46		" 11	340 30	1:20	
" 4	41 0	3:15		300	56 30	3:45	
" 5	122 0	1:00		" 1	296 0	2.50	
" 6	77 30	3:95		" 2	257 0	3.25	
" 7	336 0	1:35		" 3	305 0	2.70	
" 8	266 0	3:90		" 4	14 0	3.92	
" 9	332 0	1:80		" 5	30 0	3.25	
" 10	41 30	4:00		" 6	84 30	2.45	
" 11	268 30	2:80		" 7	94 30	2.20	
" 12	355 30	3:37		" 8	352 0	4.20	
" 13	33 30	3:10		" 9	343 30	5.00	
292	74 0	2:80		301	354 0	1.30	
" 1	8 30	2:40		" 1	226 0	2.13	
" 2	303 0	4:00		" 2	211 30	2.45	
" 3	9 0	2:15		" 3	210 30	4.65	
" 4	113 0	1:95		" 4	266 30	2.45	
" 5	83 0	4:80		" 5	313 30	6.00	
" 6	3 0	4:00		" 6	11 30	2.25	
" 7	329 30	2:05		" 7	86 0	2.00	
" 8	247 0	1:55		" 8	129 30	1.50	
" 9	354 0	2:15		" 9	118 30	3.00	
" 10	75 0	2:66		" 10	21 30	1.85	
" 11	131 0	1:95		302	342 0	1.21	
" 12	41 0	1:37		" 1	303 0	2.25	
" 13	307 0	4:83		" 2	263 0	4.90	
" 14	6 30	1:60		" 3	245 0	4.28	
293	29 0	2:87		" 4	242 0	2.12	
" 1	20 0	1:63		" 5	259 30	3.95	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks
Degree min.				Degree min.			
302/ 6	38 0	1.98		311/14	212 0	1.72	
" 7	59 0	5.00		312	130 30	.85	
" 8	19 0	3.60		" 1	86 30	2.85	
" 9	334 0	1.30		" 2	81 0	2.90	
303	341 0	1.53		" 3	344 0	1.90	
" 1	314 0	1.00		" 4	332 0	1.55	
" 2	284 0	4.83		" 5	53 0	1.85	
" 3	288 0	3.88		" 6	65 0	2.65	
" 4	296 0	3.70		" 7	39 0	1.60	
304	339 30	3.00		" 8	113 30	3.55	
" 1	45 0	3.77		" 9	74 0	2.55	
" 2	1 30	2.70		" 10	23 30	2.00	
" 3	327 30	3.50		" 11	350 0	.80	
" 4	45 0	1.40		313	334 30	1.17	
" 5	118 0	3.40		" 1	292 30	1.80	
" 6	86 30	4.10		" 2	313 00	3.20	
" 7	106 30	1.86		" 3	8 30	1.00	
" 8	70 0	1.75		" 4	82 00	2.51	
305	313 30	1.45		" 5	336 00	1.70	
" 1	264 30	2.70		" 6	4 00	2.65	
" 2	327 0	1.05		" 7	89 30	1.80	
" 3	44 30	2.90		" 8	32 30	1.40	
" 4	70 30	1.95		" 9	37 30	1.40	
" 5	344 0	1.80		" 10	74 00	1.80	
" 6	295 0	3.23		" 11	86 30	1.00	
" 7	296 0	4.20		" 12	47 30	1.27	
" 8	338 0	4.00		" 13	33 00	.85	
" 9	53 0	1.80		314	358 30	.70	
" 10	87 0	3.35		314/ 1	322 00	1.40	
" 11	35 0	4.55		" 2	4 00	1.70	
" 12	350 0	2.36		" 3	341 30	1.15	
" 13	84 0	1.75		" 4	70 00	2.00	
" 14	165 0	3.45		" 5	349 30	1.20	
" 15	141 30	3.20		" 6	321 00	1.00	
" 16	78 0	2.85		" 7	347 00	1.05	
" 17	11 30	3.30		315	47 00	.90	Along Dupata chara.
" 18	298 30	1.90		315/ 1	345 00	1.40	
" 19	260 0	2.72		" 2	285 00	1.24	
" 20	345 30	.85		" 3	266 30	1.12	
" 21	24 0	6.05		" 4	289 00	1.40	
" 22	45 30	2.00		" 5	338 30	1.50	
" 23	17 30	2.32		" 6	357 00	1.95	
" 24	330 30	2.75		" 7	335 30	1.65	
" 25	324 0	2.70		316	320 00	2.25	
" 26	3 30	2.00		316/ 1	359 00	1.80	
" 27	85 0	2.80		" 2	47 30	1.45	
" 28	121 30	2.90		" 3	349 00	1.55	
306	121 30	1.45		317	31 30	1.10	
" 1	42 30	3.00		317/ 1	328 00	1.10	
" 2	330 0	1.60		" 2	10 30	1.00	
" 3	285 30	4.00	Along Dupata Chara.	" 3	25 00	1.10	
" 4	342 30	2.00		" 4	356 00	1.15	
307	60 0	1.32		" 5	3 00	1.44	
" 1	112 30	2.40		" 6	347 30	1.85	
" 2	48 30	5.07		" 7	333 30	1.95	
" 3	330 30	.65		" 8	12 30	1.57	
308	262 30	2.00		" 9	20 00	.65	
" 1	274 30	2.30		" 10	340 00	1.00	
" 2	342 30	2.00		" 11	324 00	2.20	
" 3	46 0	3.55		" 12	21 30	2.25	
" 4	344 0	2.57		" 13	26 00	.85	
" 5	272 0	3.00		318	13 00	3.00	Left Dupatachara.
" 6	264 0	2.00		319	353 30	1.70	
309	332 0	1.87		320	2 30	1.40	
" 1	318 30	1.00		321	25 00	1.44	
" 2	343 30	1.70		322	320 00	1.24	
" 3	239 30	2.36		323	27 00	1.62	Followed Ujanma- chmara chara.
" 4	278 0	2.30		323/ 1	346 30	1.35	
" 5	4 0	1.00		" 2	337 00	.70	
" 6	48 0	3.60		" 3	32 30	.72	
" 7	292 30	2.05		" 4	333 00	.84	
" 8	308 30	3.20		" 5	38 30	1.00	
" 9	3 0	2.05		" 6	13 00	2.00	
" 10	49 30	1.35		" 7	319 00	1.38	
310	155 0	2.45		" 8	337 00	1.35	
" 1	155 0	2.05		" 9	328 00	1.40	
" 2	55 0	2.35		" 10	300 00	1.25	Along Ujanmachmara chara.
" 3	328 0	1.20		" 11	17 0	1.00	
" 4	93 30	2.88		" 12	58 30	1.00	
" 5	60 30	2.15		" 13	36 0	1.00	
" 6	284 30	2.35		" 14	81 30	.87	
" 7	277 0	2.22		" 15	358 0	1.00	
" 8	40 0	2.70		" 16	40 0	1.52	
" 9	19 0	2.00		" 17	10 30	1.70	
" 10	0 30	1.10		" 18	64 30	1.65	
311	301 0	2.00		324	36 0	1.35	
" 1	280 0	1.00		324/ 1	70 0	1.90	Along Ujanmachmara chara.
" 2	181 0	1.15		" 2	61 30	1.05	
" 3	259 0	1.55		" 3	77 0	2.58	
" 4	294 0	.80		" 4	76 0	1.80	
" 5	360 0	2.70		" 5	69 0	1.70	
" 6	324 0	1.65		" 6	49 30	2.00	
" 7	291 0	2.83		" 7	73 0	2.65	
" 8	68 30	1.75		" 8	338 30	1.25	
" 9	64 0	.65		" 9	10 30	1.55	
" 10	24 0	1.93		" 10	308 30	1.25	
" 11	52 0	1.85					
" 12	78 30	2.50					
" 13	150 30	2.50					

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.
Degree min.				Degree min.			
325	24 30	1.80		331/ 16	153 00	1.50	
325/ 1	54 0	1.00		" 17	222 30	2.50	
" 2	324 0	1.00		" 18	263 30	1.25	
" 3	291 30	1.60		" 19	302 00	1.58	
" 4	12 0	2.75		" 20	194 00	1.10	
" 5	357 0	1.20		" 21	120 00	2.80	
" 6	300 0	1.55		332	94 30	1.70	
" 7	730 0	1.50		332/ 1	140 00	1.16	
" 8	17 0	2.20		" 2	237 00	1.60	
" 9	41 30	1.27		" 3	274 00	3.55	
" 10	324 30	1.90		" 4	136 30	1.20	
" 11	277 0	1.05	Along Ujanmachmara chara.	" 5	119 00	3.90	
" 12	1 30	.95		" 6	193 00	1.65	
326	37 30	1.40		" 7	241 00	1.00	
326/ 1	45 30	1.32		" 8	270 30	2.00	
" 2	319 0	1.72		" 9	184 30	2.35	
" 3	299 0	1.00		" 10	89 30	1.90	
" 4	344 30	.80		" 11	132 0	1.50	
" 5	300 0	1.00		" 12	104 30	1.50	
" 6	255 0	1.70		" 13	172 30	2.00	
" 7	341 0	.75		" 14	209 0	2.30	
" 8	55 0	1.50		" 15	118 0	1.40	
" 9	88 30	.80		" 16	147 0	1.35	
" 10	337 0	1.40		" 17	236 30	3.85	
" 11	46 30	.90		" 18	104 30	2.30	
" 12	113 0	1.05		" 19	79 0	1.75	
" 13	3 0	.85		" 20	179 0	1.30	
" 14	282 0	3.00		" 21	229 0	2.07	
" 15	52 30	1.35		" 22	301 30	1.30	
" 16	63 0	1.90		" 23	220 0	3.00	
" 17	75 0	3.00		" 24	93 0	.90	
" 18	76 30	1.20		333	84 0	1.70	
" 19	117 30	.65		333/ 1	186 30	1.20	
327	115 30	1.20		" 2	208 0	1.25	
327/ 1	112 30	6.80		" 3	136 30	1.70	
" 2	145 0	2.00		" 4	195 0	1.25	
" 3	187 30	2.65		" 5	161 0	2.90	
" 4	256 0	1.70		" 6	103 0	1.00	
" 5	316 0	3.30		" 7	181 30	2.05	
" 6	265 30	1.00		" 8	84 30	2.00	
" 7	168 30	4.15		" 9	222 0	1.50	
" 8	164 0	2.85		" 10	155 30	1.50	
328	143 0	1.15		" 11	110 0	2.20	
328/ 1	96 0	3.95		" 12	176 0	1.00	
" 2	117 30	1.65		" 13	230 0	2.45	
" 3	208 30	.75		" 14	311 0	2.00	
" 4	245 00	5.60		" 15	266 0	1.60	Along Branch of Machmara Chara.
" 5	210 30	1.40		" 16	235 0	2.65	
" 6	135 30	2.80		" 17	143 30	1.20	
" 7	77 00	1.50		" 18	119 0	1.00	
" 8	57 00	4.80		334	150 0	1.55	
" 9	102 30	2.00		334/ 1	225 30	1.15	
" 10	194 30	2.70		" 2	214 30	2.55	
" 11	200 30	4.30		" 3	94 0	1.65	
" 12	174 00	3.00		" 4	196 30	.80	
329	190 00	1.05		" 5	252 30	1.75	
329/ 1	158 00	1.65		" 6	150 0	3.20	
" 2	115 00	3.35		" 7	146 0	1.70	
" 3	48 00	2.55		" 8	37 30	1.20	
" 4	42 30	1.00		" 9	90 30	1.40	
" 5	68 30	7.35		" 10	22 0	2.00	
" 6	70 00	2.40		" 11	43 30	1.30	
330	144 00	2.90	Leaves main Ujanma- chmara chara and follows branch of Machmara chara.	" 12	107 0	2.60	
330/ 1	232 30	1.00		" 13	127 0	2.30	
" 2	256 30	3.00		" 14	25 0	2.25	
" 3	194 30	1.50		" 15	80 0	1.75	
" 4	74 30	2.10		335	40 30	.90	
" 5	99 00	.65		335/ 1	348 0	1.60	
" 6	211 00	2.90		" 2	102 0	2.90	
" 7	155 30	1.07		" 3	129 0	1.00	
" 8	62 00	1.70		" 4	58 0	1.05	
" 9	134 30	1.40		" 5	5 30	1.80	
" 10	74 00	1.60		" 6	5 00	.95	
" 11	198 00	2.70		" 7	271 30	2.90	
" 12	212 00	1.20		" 8	5 30	1.85	
" 13	133 30	.95		" 9	87 0	2.00	
" 14	52 30	1.60		" 10	28 0	1.50	
" 15	133 00	1.37		" 11	75 0	1.10	
331	193 00	.88		" 12	130 30	2.30	
331/ 1	252 30	2.35		" 13	108 0	.90	
" 2	184 30	1.05		" 14	127 30	1.50	
" 3	120 30	1.97		" 15	55 0	.95	
" 4	34 30	1.50		" 16	152 0	2.25	
" 5	101 30	1.60	Along branch of Ujan- machmara chara.	" 17	58 0	1.00	
" 6	100 30	1.60		" 18	9 0	2.05	
" 7	243 00	1.40		" 19	89 0	1.90	
" 8	243 30	2.15		" 20	209 30	2.95	
" 9	185 30	1.30		" 21	101 0	2.45	
" 10	208 30	2.90		" 22	30 0	1.85	
" 11	164 30	3.05		" 23	100 0	.85	
" 12	88 00	1.62		336	65 0	1.75	
" 13	81 00	1.05		336/ 1	88 30	2.80	
" 14	178 00	2.20		" 2	71 0	1.90	
" 15	120 00	4.42		" 3	8 0	1.90	
				" 4	72 0	.90	
				" 5	101 30	3.15	
				" 6	89 0	2.50	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.
Degree min.				Degree min			
336/ 7	98 30	1.45		365	357 0	8.50	
" 8	44 0	1.85		366	359 0	5.30	
" 9	67 30	2.15		367	27 0	4.70	
" 10	60 0	1.00		368	44 0	1.60	
" 11	103 0	1.35		369	28 0	3.00	
" 12	97 0	1.25		370	48 0	3.20	
" 13	42 30	1.20		371	43 30	4.40	
" 14	53 0	2.27		372	44 0	5.70	
" 15	41 30	2.80		373	68 0	2.00	
" 16	355 30	2.05		374	8 0	5.60	
" 17	55 0	2.35		375	34 0	6.40	
" 18	29 0	1.60		376	336 30	3.40	
" 19	112 0	.85		377	53 0	2.00	
" 20	115 30	1.00		378	55 0	4.32	
" 21	77 30	2.00	Along Branch of	379	21 30	3.50	
" 22	113 0	1.70	Machmara chara.	380	4 30	3.00	
" 23	159 30	1.00		381	358 30	3.53	
" 24	121 30	.75		382	323 00	3.00	
337	178 30	1.25		383	6 00	2.27	
337/ 1	125 0	2.80		384	339 00	5.30	
" 2	110 30	1.00		385	352 00	5.35	
" 3	96 30	1.90		386	327 30	2.50	
" 4	142 0	2.35		387	243 09	2.80	
" 5	98 0	2.20		388	255 00	3.13	
" 6	96 0	3.20		389	237 00	6.54	
" 7	80 30	1.80		390	226 30	2.77	Vaisam Village 15.00 on right.
" 8	56 30	1.75					
" 9	93 0	2.15		391	310 00	2.37	
" 10	71 0	2.00		392	308 00	3.80	
" 11	35 30	1.75		393	310 00	2.80	
" 12	47 0	.95		394	320 30	2.36	
" 13	38 0	1.00		395	330 00	1.70	
" 14	32 30	1.00		396	271 00	2.41	
" 15	51 0	1.30		397	299 30	1.80	
" 16	80 0	2.10		398	331 00	1.35	
" 17	41 30	.62		399	273 00	3.21	
338	87 0	2.35		400	301 00	1.50	
338/ 1	61 0	1.85		401	314 00	1.70	
" 2	95 30	1.90		402	330 30	1.41	
" 3	60 0	1.60		403	334 30	1.72	
" 4	36 0	1.60		404	258 00	1.41	
" 5	30 30	2.01		405	316 00	2.15	
" 6	59 30	1.00		406	314 00	3.15	
" 7	105 0	.70		407	323 00	3.23	
" 8	146 0	.52		408	287 00	1.35	
" 9	94 0	1.30		409	303 00	1.50	
" 10	103 0	.70		410	352 30	1.54	Source of branch of Ujanmachmara chara.
" 11	94 0	.70					
" 12	80 30	1.25		410/ 1	342 30	1.45	
" 13	107 0	1.15		410/ 2	308 30	1.50	
" 14	127 30	1.10	Along Machmara	410/ 3	319 00	.70	
" 15	67 30	1.20	chara.	410/ 4	255 30	1.50	
" 16	98 30	2.00		410/ 5	244 30	2.70	Follows branch of Ujanmachmara chara.
" 17	101 30	2.00					
339	84 0	1.45		410/ 6	257 00	1.85	
339/ 1	93 30	1.05		410/ 7	257 30	1.20	
" 2	46 0	1.70		410/ 8	285 30	1.85	
" 3	30 30	1.30		410/ 9	242 30	3.80	
" 4	40 0	1.90		410/10	262 00	2.55	
" 5	53 0	1.20		410/11	291 00	1.90	
" 6	114 0	1.05		410/12	245 00	2.70	
" 7	88 30	1.20		410/13	226 30	1.50	
" 8	60 30	1.40		410/14	185 00	1.20	
" 9	49 30	1.00		410/15	280 00	2.30	
" 10	94 0	1.10		410/16	309 00	1.00	
" 11	99 30	1.20		410/17	261 00	1.10	
" 12	88 0	1.90		410/18	304 30	1.30	Along branch of Ujan- machmara chara.
" 13	70 0	.90					
340	40 30	1.50		410/19	288 00	1.00	
340/ 1	31 0	.60		410/20	303 30	2.33	
" 2	81 30	1.15		410/21	328 00	1.10	
" 3	67 0	.70		410/22	338 30	1.77	
" 4	37 0	.90		410/23	9 30	1.55	
341	49 0	1.25	Leaves chara	410/24	345 00	1.50	
342	75 30	2.15		410/25	356 00	1.70	
343	10 0	3.22		410/26	334 00	1.65	
344	318 0	5.70		410/27	322 30	1.75	
345	349 30	4.05		410/28	302 30	.75	
346	13 30	3.20		411	254 00	3.07	Leave branch of Ujan- machmara chara and follows main Ujan- machmara chara.
347	345 0	6.68					
348	327 0	4.21					
349	338 30	9.38		411/ 1	261 00	1.15	
350	22 0	12.93		" 2	235 30	1.47	
351	1 30	4.63		" 2a	295 30	2.45	
352	358 30	4.63		" 3	215 30	1.30	
353	360 0	2.82		" 4	294 30	1.20	
354	51 30	3.35		" 5	313 00	1.30	
355	14 30	5.78		" 6	241 00	1.15	
356	37 30	4.95		" 7	303 0	1.50	
357	347 0	2.45		" 8	321 0	1.50	
358	329 0	3.26		" 9	286 00	2.42	
359	298 0	3.95		" 10	248 30	2.45	
360	5 0	5.50		" 11	185 0	1.60	
361	321 0	2.20		" 12	157 0	2.00	
362	300 30	2.00		" 13	248 0	1.00	
363	331 0	1.50		" 14	288 0	1.55	
364	10 0	2.20					

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.
	Degree min.				Degree min.		
411/15	153 30	2.33		413/15	66 30	1.95	
" 16	257 0	1.43		" 16	295 0	1.30	
" 17	294 0	1.60		" 17	329 0	2.50	
" 18	237 30	1.00		" 18	62 30	2.20	
" 19	275 30	1.80		" 19	57 30	1.70	
" 20	292 0	1.20		" 20	343 30	1.00	
" 21	232 0	1.55		" 21	321 30	1.40	
" 22	355 0	1.90		" 22	288 0	2.00	
" 23	240 0	1.00	Along Ujanmachmara chara.	" 23	341 30	.65	Crosses foot path Kanchanpur between station Nos. 22 a d 23.
" 24	196 30	3.00		" 24	46 30	.90	
" 25	280 30	3.00		" 25	341 0	1.10	
" 26	230 30	1.80		" 26	37 0	1.90	
" 27	141 30	3.00		" 27	93 30	2.20	
" 28	204 0	1.00		" 28	25 0	1.75	
" 29	271 30	1.90		" 29	79 0	.75	
" 30	187 30	1.10		" 30	127 0	1.13	
" 31	135 0	.95		" 31	49 30	1.40	
" 32	113 30	1.50		" 32	347 0	1.30	
" 33	200 0	1.90		414	348 30	1.00	Along branch of Ujan- machmara chara.
" 34	219 0	1.20		414/ 1	70 0	2.25	
" 35	156 30	1.75		" 2	323 30	2.25	
" 36	310 0	4.20		" 3	27 30	1.50	
" 37	255 30	2.00		" 4	57 30	1.10	
" 38	276 30	1.70		" 5	321 0	1.00	
" 39	255 0	2.40		" 6	343 30	.80	
" 40	311 30	2.45		" 7	304 30	1.90	
" 41	194 30	1.40		" 8	12 30	1.50	
" 42	154 30	2.35		" 9	71 30	1.55	
" 43	254 30	2.25		" 10	12 30	1.00	
" 44	139 30	2.70		" 11	340 30	1.10	
" 45	243 30	1.00		" 12	356 0	1.50	
" 46	263 30	2.00		" 13	338 00	1.00	
" 47	248 0	2.75		" 14	102 0	2.10	
" 48	210 0	1.20		" 15	105 0	1.45	
" 49	121 30	2.60		" 16	85 0	1.70	
" 50	190 0	2.40		" 17	45 30	1.15	
" 51	221 0	1.85		" 18	295 0	2.60	
" 52	222 30	1.15		" 19	274 30	1.50	
" 53	287 30	2.85		" 20	315 30	1.20	
" 54	217 30	1.75		" 21	26 0	.85	
" 55	164 0	2.10		" 22	85 30	2.30	
" 56	208 0	5.25		" 23	360 0	.60	
" 57	281 30	1.85		" 24	320 30	3.00	
" 58	191 0	3.00		" 25	18 30	1.20	
" 59	231 0	1.35		" 26	77 30	1.10	
" 60	284 30	2.50		" 27	342 0	1.10	
" 61	255 30	3.20		" 28	301 30	.75	
412	170 30	1.45		" 29	10 0	1.50	
" 1	150 30	1.50	Near Ramofa Reang para.	" 30	68 30	2.15	
" 2	209 30	1.65		" 31	171 30	1.10	
" 3	238 0	1.00		" 32	117 30	.75	
" 4	179 0	3.70		" 33	353 30	1.35	
" 5	269 30	4.30		" 34	31 0	1.25	
" 6	274 0	1.00		" 35	322 30	.80	
" 7	309 0	1.10		" 36	33 0	.62	
" 8	312 0	2.30		" 37	71 30	1.15	Along branch of Ujan- machmara.
" 9	228 0	1.15		" 38	8 30	.50	
" 10	360 0	2.45		" 39	316 30	2.15	
" 11	215 0	1.85		" 40	265 30	1.60	
" 12	164 0	1.50		" 41	275 0	.85	
" 13	263 0	1.50		" 42	322 30	1.00	
" 14	238 30	1.00		" 43	80 30	3.90	
" 15	184 30	1.15		" 44	85 30	1.00	
" 16	167 0	1.20		" 45	314 30	1.15	
" 17	231 0	1.75		" 46	353 0	2.10	
" 18	136 30	.80		" 47	31 30	1.00	
" 19	148 0	.80		" 48	309 0	1.00	
" 20	245 30	2.00		" 49	13 0	1.20	
" 21	214 30	1.45	Along Ujanmachmara chara.	" 50	251 0	.95	
" 22	310 30	1.00		" 51	340 0	1.40	
" 23	358 0	1.00		" 52	273 0	2.05	
" 24	246 30	1.40		" 53	353 0	1.00	
" 25	224 0	1.75		" 54	316 0	1.05	
" 26	328 30	1.20		" 55	6 30	1.50	
" 27	197 30	1.30		" 56	99 0	1.85	
" 28	148 30	1.85		" 57	117 0	.80	
" 29	166 30	2.00		" 58	50 0	1.40	
" 30	240 30	1.50		" 59	286 30	.95	
413	302 30	1.40	Leaves Ujanmachmara chara and follows a branch of the chara.	" 60	290 0	2.10	
413/ 1	270 30	1.55		" 61	10 0	1.80	
" 2	259 0	1.00		" 62	71 30	1.80	
" 3	276 0	.80		" 63	50 0	1.05	
" 4	377 30	1.00	Follows branch of Ujanmachmara chara.	" 64	62 30	.75	
" 5	62 30	2.00		" 65	336 0	2.15	
" 6	52 0	1.35		" 66	33 0	2.15	
" 7	340 0	1.35		" 67	341 0	1.60	
" 8	316 0	.70		" 68	304 30	2.10	
" 9	41 0	1.30		" 69	288 30	1.00	
" 10	26 0	.90		" 70	51 0	1.15	
" 11	319 30	1.50		" 71	8 0	1.00	
" 12	297 30	1.00		" 72	41 30	.90	
" 13	277 30	1.33		" 73	315 30	.90	
" 14	15 30	2.20		" 74	47 0	1.15	
				" 75	301 30	1.40	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.
	Degree min.				Degree min.		
414/ 76	325 0	1.55	Along branch of Mach- mara chara.	IDI/1 42	339 30	5.75	
" 77	49 0	1.70		" 43	347 0	5.40	
" 78	327 0	1.20		" 44	9 30	3.94	
" 79	66 30	1.85		" 45	349 30	4.72	Near Somoljoy Reang para,
415	316 0	1.00	Leaves branch of Ujan- machmara chara and follows another chara.	" 46	23 0	6.84	
415/ 1	26 30	1.15		" 47	18 30	2.74	
" 2	21 30	1.10		" 48	37 30	3.17	
" 3	319 30	0.70		" 49	91 0	3.14	
" 4	43 30	1.60		" 50	31 0	2.00	
" 5	322 30	0.70		" 51	22 30	3.85	
" 6	321 0	1.25		" 52	40 0	6.60	
" 7	348 30	0.90		" 53	93 0	7.04	
" 8	61 0	1.65	Follows a chara.	" 54	91 30	3.10	
" 9	328 0	0.85		" 55	26 30	7.05	
" 10	16 30	1.60		" 56	25 30	7.27	
" 11	44 30	1.40		" 57	44 30	8.50	
" 12	335 0	1.40		" 58	325 30	1.80	Near Nabajoy Choudhury para.
" 13	336 30	1.05		" 59	339 0	2.99	
" 14	346 30	1.50		" 60	22 30	4.28	
" 15	16 30	1.35		" 61	350 0	2.10	
" 16	352 30	2.25		" 62	294 0	2.05	
416	335 0	1.82	Left Ujanmachmara chara and met with post No. 11 of Juri R. F.	" 63	291 0	1.75	
417	29 30	4.60		" 64	334 0	6.77	
The following internal demarcated block within the surveyed boundary of the R. F. indicated above has been excluded from the Reserved Forest. The boundary line of the internal demarcated block has been surveyed as follows :—				" 65	49 30	4.69	
Internal demarcated Block No. 1 (Laljuri Block).				" 66	9 0	3.85	
IDI/1	306 30	1.33	Started Internal Demarcation of Ujan- machmara R. F. (Laljuri valley) from Western Bank of Laljurichara and about 1/2 mile north from Laljuri Bazar.	" 67	58 0	7.13	Crosses Laljuri chara in between stn. Nos. 67 and 68.
" 2	325 30	2.57		" 68	167 0	8.00	
" 3	358 0	2.85		" 69	100 30	4.40	
" 4	352 30	4.07		" 70	126 30	9.25	
" 5	26 0	4.40		" 71	153 30	6.87	
" 6	36 30	1.85		" 72	42 0	4.90	
" 7	357 0	2.50		" 73	142 30	7.04	
" 8	6 0	1.75	House of Nulkanta Nath.	" 74	195 30	6.81	
" 9	186 0	5.18		" 75	270 0	4.85	
" 10	30 0	4.60		" 76	225 0	6.95	
" 11	2 30	6.40		" 77	149 0	8.75	
" 12	45 30	2.30		" 78	143 30	4.14	
" 13	3 30	4.45		" 79	171 30	3.72	
" 14	26 0	7.00		" 80	260 0	3.55	
" 15	346 30	7.49	House of Sarbashoor Chakma.	" 81	227 0	6.02	
" 16	24 30	6.00		" 82	224 0	3.50	
" 17	32 30	7.30		" 83	166 30	2.86	
" 18	350 0	3.25		" 84	157 0	6.26	
" 19	17 30	1.00		" 85	157 0	4.10	
" 20	358 0	8.40	House of Kandu Karbari.	" 86	306 30	6.18	
" 21	21 0	9.02		" 87	331 0	3.30	
" 22	358 0	11.40		" 88	211 0	3.40	
" 23	37 30	11.10		" 89	163 0	1.88	
" 24	27 30	9.60		" 90	187 30	1.52	
" 25	34 30	13.76		" 91	134 0	3.80	
" 26	13 30	4.98		" 92	221 0	5.79	
" 27	314 0	3.40		" 93	193 0	5.06	
" 28	334 0	4.14		" 94	239 0	4.66	
" 29	19 30	7.29		" 95	195 0	9.30	
" 30	12 30	13.60	Halampara.	" 96	186 0	4.99	
" 31	46 30	3.09		" 97	172 30	4.75	
" 32	352 0	5.67		" 98	159 0	3.50	
" 33	00 30	7.88		" 99	46 0	9.90	
" 34	348 30	4.52		" 100	15 0	7.10	
" 35	3 30	4.00		" 101	100 0	7.73	
" 36	7 0	5.73		" 102	126 0	7.23	
" 37	63 30	4.97		" 103	202 0	12.95	
" 38	28 30	3.82		" 104	191 30	2.90	
" 39	25 30	5.68		" 105	234 0	5.15	
" 40	339 30	3.55		" 106	189 30	2.40	
" 41	336 0	2.82		" 107	76 30	7.65	
				" 108	58 30	2.00	
				" 109	28 0	2.30	

Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.	Station No./ Sub-Station No.	Forward Bearing	Distance in chains to the next station	Remarks.
Degree min.				Degree min.			
IDI/110	3 30	5.00		IDI/147	255 0	3.50	
" 111	50 30	5.20		" 148	219 0	2.00	
" 112	128 0	5.18		" 149	152 0	3.98	
" 113	157 0	10.97		" 150	238 30	1.27	
" 114	227 30	3.60		" 151	128 30	3.50	
" 115	157 30	7.40		" 152	185 30	2.25	
" 116	98 0	8.20		" 153	285 30	4.60	
" 117	177 30	9.26		" 154	360 0	2.45	
" 118	209 30	6.54		" 155	312 30	2.25	
" 119	190 30	5.00		" 156	246 0	2.55	
" 120	270 30	13.50		" 157	205 0	1.65	
" 121	244 30	7.00		" 158	201 30	2.00	
" 122	217 30	4.43		" 159	265 30	3.50	
" 123	172 0	4.20		" 160	301 30	1.30	
" 124	229 0	3.22	Dhanaraj Reang para.	" 161	105 30	5.10	
" 125	214 30	10.41		" 162	282 0	5.40	
" 126	280 0	2.95		" 163	261 30	6.15	
" 127	188 0	9.40		" 164	221 30	6.30	
" 128	105 0	9.56		" 165	233 30	9.95	House of Rashik Deb
" 129	218 30	7.42		" 166	278 30	3.65	Nath.
" 130	188 0	9.80		" 167	264 0	9.83	
" 131	132 0	6.72		" 168	230 30	1.50	
" 132	84 0	2.52		" 169	214 0	2.10	
" 133	51 30	8.00		" 170	231 0	6.05	
" 134	110 0	4.79		" 171	237 0	6.94	
" 135	61 0	1.90		" 172	215 30	7.74	
" 136	51 30	0.66		" 173	222 30	8.55	
" 1/136	37 30	2.00		" 174	164 30	6.95	
" 2/136	319 30	0.80		" 175	152 0	2.55	
" 3/136	305 0	1.40		" 176	197 30	7.90	
" 4/136	311 30	1.20		" 177	157 0	9.73	
" 5/136	68 0	2.50		" 178	244 0	7.98	
" 6/136	138 0	1.90	Follows Branch of	" 179	227 30	6.05	
" 7/136	77 30	2.60	Laljuri Chara.	" 180	176 30	8.90	
" 8/137	37 0	5.10		" 181	124 30	3.05	
" 9/138	93 30	6.00		" 182	133 0	6.95	
" 10/136	60 0	4.40		" 183	188 0	4.78	
" 11/136	73 0	1.60		" 184	276 0	3.00	
" 12/136	90 0	4.80		" 185	248 30	5.52	
IDI/137	197 30	2.73		" 186	279 30	3.00	
" 138	232 0	3.15		" 187	306 0	3.79	
" 139	277 0	3.50		" 188	246 30	5.15	
" 140	263 0	3.75		" 189	286 30	3.00	
" 141	229 0	3.45		" 190	281 30	3.10	
" 142	252 0	3.50		" 191	326 0	1.40	
" 143	204 0	4.05		" 192	317 30	6.08	Meet with post No. <u>IDI</u> 1
" 144	178 0	1.85					
" 145	154 0	2.20					
" 146	219 0	2.10					

The total area of internal
Block excluded from the
proposed R. F. is 2.43
sq. miles.

ANNEXURE

Lands to be excluded from Ujan machmara R. F.

The description of the Lands tender own occupation by Swasti Samiti in the Ujan Machmara Reserve Forest Mouja.

Sl. No.	Name of the present occupier.	Jote No.	Khatian No.	Dag No.	Class of Lands,	Area.		Remarks,
1	2	3	4	5	6	7	8	9
	Debendra Kr. Nath for Swasti Samiti Vill . Kanchanpur. P.O. Kanchanpur.	14	22	161	Layak Patit		67	
				164	Tilla	1	51	
				196	"	5	91	
			50	200	"	1	24	
				1170				
				200	"	1	34	
				1171				
				200	"	1	57	
			77	299	Road.		50	
				1159				
				277	"	1	28	
				1167				
			78	252	Chara		87	
				465	Bhiti		14	
				466	Debasthan		11	
				683	Tilla	43	45	
				687	Do	10	80	
				704	Do	16	88	
				710	Do	17	14	
			228	745	Road	2	87	
				708	"		99	
			254	797	Tilla	4	56	
				799	Do		40	
				801	Do	3	48	
			287	822	Do	2	64	
				767	Nal	0	04	
			296	796	Layek Patit	1	21	
			212	684	Road	1	17	
						121	22	
1	Banka Debnath S/o. Nayan Debnath for Swasti Samity Vill—Ujan Machmara.	14	35	256	Chara		51	
			290	258	Do		27	
			260	260	Do		24	
				440	Nal	4	15	
				252	Nala		42	
				043	Chara		13	
				764	Utlā		35	
				765	Bastu		87	
				766	Chara		18	
				775	Bhiti		59	
				824	Nal		86	
				1203				
				819				
				1208	Nal		81	
2	Shuka Debnath S/o. Nayan Debnath for Swasti Samiti Vill—Ujan Machmara.	14	36	257	Chara		68	
			391	259	"		35	
				776	Bastu	1	05	
				821	Nal		67	
				1206				
				772	Do		96	
				1200				

1	2	3	4	5	6	7	8	9
3	Gopesh Ch. Nath S/o Nabin Nath, 14 Nagarendra Nath S/o Sishu Nath, Brajendra Nath S/o Kartic Nath, Dhirendra Ch. Nath S/o Dulal Nath for Swasti Samiti Vill—Ujan Mach- mara.	39	281 282 281 — 1165	Nal Chara Nal	6 1 — — —	19 48 06		
4	Gopesh Ch. Nath S/o Nabin Nath, 14 Nabin Ch. Nath S/o Jugal Nath, Gunamani Debi wife of Nabin Nath, Birendra Nath S/o Dulal Nath for Swasti Samiti Vill—Ujan Mach- mara.	40	283 286 295 283 — 1166	Nal -do- Bastu Nal	20 6 1 — — —	82 15 68 77 02		
5	Bharat Ch. Nath S/o Gulak Nath for 14 Swasti Samiti Vill—Ujan Mach mara.	75	437	Nal	2	94		
6	Mahendra Kr. Nath S/o Kunja 14 Nath for Swasti Samiti Vill—Ujan Machmara.	79 292	439 820 — 1207 829 — 1210	Chara Nal — -Do-	— — — — — — —	48 66 — 42		
7	Luchan Ch. Nath S/o Mani Ch. Nath 14 for Swasti Samiti Vill—Ujan Mach- mara.	80 293	261 828 774 — 1202 818 — 1209	Chara Nal Nal — Nal	— — — — — — — —	26 36 73 — 88		
8	Suresh Ch. Nath S/o Surja Mani 14 Nath for Swasti Samiti.	81	262 773	Chara Nal	— — — — — — — —	62 78 — — — — — —		
9	Ranajit Kr. Choudhury S/o Ramani 14 Choudhury for Swasti Samiti Vill—Ujan Machmara.	82	474	Shop	22	75		
10	Anati Kr. Nath S/o Dalai Nath for 14 Swasti Samiti of Ujan Machmara.	83	475 707	-do- Lunga	— — — — — — — —	02 44		
11	Nara Singha Nath S/o Bankshi 14 Nath for Swasti Samiti Vill—Ujan Machmara.	80	476 492	Shop Chara	— — — — — — — —	02 10		
12	Swali Khashia wife of Warn Khashia 14 for Swasti Samiti Vill—Laljuri.	85	70	Lunga	5	74		
13	Haridhan Deb Nath S/o Jiban Deb 14 Nath for Swasti Samiti Vill—Ujan Machmara.	80	477	Shop	— — — — — — — —	01		
14	Kalicharan Nath S/o Gagan Nath 14 for Swasti Samiti Vill—Ujan Mach- mara.	217	705 709	Chara Bastu	— — — — — — — —	75 18		
15	Sachindra Ch. Debnath S/o Sandhai 14 Nath, Jatindra Deb Nath S/o Baidhe Nath for Swasti Samiti of Ujan Machmara.	240	748 749 749 — 1217	Tilla Bastu — — —	4 — — — — — — —	98 89 32 — 47		
16	Kishuri Biswas S/o Kathu Ram 14 Biswas for Swasti Samiti Vill—Ujan Machmara.	272 273	805 762	Nal —	2 3	91 72		

1	2	3	4	5	6	7	8
17	Anirudha Nath s/o Dhalai Nath for Swasti Samiti Vill—Ujan Machmara,	14	275		878	Nal	1 76
					879	Chara	32
					880	Nal	2 74
					881	Chara	80
					882	Bastu	51
					768	Nal	78
18	Rash Behari Nath s/o Shyama- charan Nath for Swasti Samiti Vill—Ujan Machmara,	14	295		1211		
							13 54
1	Sadha Ham Reang s/o Gola Chand Keang. Vill, Ujan Mach- mara P. O. Laljuri.	22	150	Lunga	7	59	from
			162	Bastu		69	1360
							B. S.
2	Jarmuni Reang s/o Jatraha Reang Ujan Machmara, P. O. Laljuri.	22	163	Bastu		39	from
							1360
							B. S.
3	Barga Mohan Reang s/o Huigh- paya Reang of Ujan Machmara, P. Laljuri.	22	166	Nal	5	82	from
			324	-Do-		94	1358
							B. S.
4	Gala Chandra Reang s/o Gum- aich Reang. Vill. Ujanmaehmara, P. O. Laljuri.	22	168	Lunga	3	24	from
							1354
							B. S.
5	Bashi Ram Chakma s/o Indra Sen Chakma, Vill. Ujanmachmara, P. O. Laljuri.	23	179	Nal	7	48	from
							1360
							B. S.
6	Mangal Dhan Chakma s/o Afui- chha Chakma, Vill. Ujanmach- mara, P. O. Laljuri.	23	180	Lunga	1	16	from
							1360
							B. S.
7	Kulendra Chakma s/o Indra Sen Chakma, Vill. Ujanmachmara, P. O. Laljuri.	23	181	Nal	5	48	from
							1360
							B. S.
8	Akramani Chakma s/o Indra Sen Chakma, Vill. Ujanmachmara, P. O. Laljuri.	23	182	Nal	5	68	from
			187	Bastu	1	29	1360
			186	Chara	1	40	B. S.
9	Chandra Das Chakma s/o Tuta Ram Chakma, Vill. Ujanmach- mara, P. O. Laljuri.	23	184	Tilla		62	from
			185	Bastu		58	1360
			187	Nal	2	09	B. S.
10	Sukramani Chakma s/o Indra Sen Chakma, Vill. Ujanmach- mara, P. O. Laljuri.	25	197	Bastu	1	13	from
			198	Tilla	1	46	1360
			183	Nal	2	81	B. S.
					49	85	
11	Raj Kishore Chakma s/o Ram Kumar Chakma Vill—Ujan Mach- mara, P. O. Laljuri.	25	199	Lunga	1 80	1 80	1365 B. S.
12	Mukta Kishore Chakma s/o Kana Ram Chakma Vill—Ujan Machmara P. O. Laljuri.	25	200	Bhiti	56		1360 B. S.
			201	Lunga	76		
			275	Bastu	87		
			276	Nal	4 08		
		26	277	-Do-	3 46	14 57	1355 B. S.
		37	278	Chara	83		
		60	280	-Do-	30		
			277	Nal	4 21		
		77					
			1164				
13	Surendra Chakma s/o Dashya Chakma Vill—Ujan Machmara P. O. Laljuri.	26	202	Nal	2 39	9 01	1360 B. S.
		78	279	-Do-	6 63		
14	Joy Dhar Chakma s/o Tarani Sen Chakma. Vill—Ujan Machmara, P. O. Laljuri.	26	203	Lunga	1 50	1 50	1365 B. S.